
Price List

June 2026

GLOBAL RADIATORI

ALUMINIUM RADIATORS

radiator model	CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	head output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER SECTION White RAL 9010 Euro	special colours** Euro
 GL 800/80	GL080010..	890	80	95	800	1”	183	93	51,30	66,70
GL 700/80	GL070010..	790	80	95	700	1”	166	84	48,40	62,90
GL 600/80	GL060010..	690	80	95	600	1”	145	74	41,50	53,90
GL 500/80	GL050010..	590	80	95	500	1”	126	64	40,00	52,00
GL 350/80	GL035010..	440	80	95	350	1”	97	49	39,40	51,20
GL 350/80/D	GL350D10..	440	80	180	350	1”	157	80	84,60	110,00
GL 200/80/D	GL200D10..	290	80	180	200	1”	103	53	82,30	107,00
 VIP 800	VP080010..	890	80	95	800	1”	180	91	51,30	66,70
VIP 700	VP070010..	790	80	95	700	1”	161	82	48,40	62,90
VIP 600	VP060010..	690	80	95	600	1”	142	72	41,50	53,90
VIP 500	VP050010..	590	80	95	500	1”	123	63	40,00	52,00
VIP 350	VP035010..	440	80	95	350	1”	94	48	39,40	51,20
 MIX 800	MX080010..	890	80	95	800	1”	180	91	51,30	66,70
MIX 700	MX070010..	790	80	95	700	1”	161	82	48,40	62,90
MIX 600	MX060010..	690	80	95	600	1”	142	72	41,50	53,90
MIX 500	MX050010..	590	80	95	500	1”	123	63	40,00	52,00
MIX 350	MX035010..	440	80	95	350	1”	94	48	39,40	51,20
MIX 300	MX030010..	390	80	95	300	1”	82	43	39,00	50,70
 VOX 800	VX080010..	890	80	95	800	1”	181	92	51,30	66,70
VOX 700	VX070010..	790	80	95	700	1”	164	83	48,40	62,90
VOX 600	VX060010..	690	80	95	600	1”	146	75	41,50	53,90
VOX 500	VX050010..	590	80	95	500	1”	127	65	40,00	52,00
VOX 350	VX035010..	440	80	95	350	1”	95	49	39,40	51,20
VOX 200	VX020010..	290	80	95	200	1”	62	32	38,00	49,40
 VOX EXTRA 800	VXE080010..	877	80	95	800	1”	173	88	49,20	64,00
VOX EXTRA 700	VXE070010..	777	80	95	700	1”	156	80	45,90	59,70
VOX EXTRA 600	VXE060010..	677	80	95	600	1”	137	71	40,00	52,00
VOX EXTRA 500	VXE050010..	577	80	95	500	1”	119	61	38,30	49,80
VOX EXTRA 350	VXE035010..	427	80	95	350	1”	89	46	37,80	49,10
 KLASS 800	KL080010..	882	80	80	800	1”	162	82	47,80	62,10
KLASS 700	KL070010..	782	80	80	700	1”	148	75	45,10	58,60
KLASS 600	KL060010..	682	80	80	600	1”	132	67	39,30	51,10
KLASS 500	KL050010..	582	80	80	500	1”	116	60	37,50	48,70
KLASS 350	KL035010..	432	80	80	350	1”	85	44	37,00	48,10

radiator model		CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER SECTION white RAL 9010 Euro	special colours** Euro
	ISEO 800	IS080010..	882	80	80	800	1"	164	82	47,80	62,10
	ISEO 700	IS070010..	782	80	80	700	1"	150	75	45,10	58,60
	ISEO 600	IS060010..	682	80	80	600	1"	131	66	39,30	51,10
	ISEO 500	IS050010..	582	80	80	500	1"	115	58	37,50	48,70
	ISEO 350	IS035010..	432	80	80	350	1"	87	44	37,00	48,10
	LOVERE 800	LO080010..	875	80	95	800	1"	160	81	45,40	59,00
	LOVERE 700	LO070010..	775	80	95	700	1"	143	73	42,70	55,50
	LOVERE 600	LO060010..	675	80	95	600	1"	127	65	37,40	48,60
	LOVERE 500	LO050010..	575	80	95	500	1"	110	57	35,40	46,00
	LOVERE 350	LO035010..	425	80	95	350	1"	82	43	34,80	45,20
	EKOS 800/95	EK8009510..	868	50	95	800	1"	87	45	53,50	69,50
	EKOS 700/95	EK7009510..	768	50	95	700	1"	78	40	49,90	64,90
	EKOS 600/95	EK6009510..	668	50	95	600	1"	69	36	44,00	57,20
	EKOS 500/95	EK5009510..	568	50	95	500	1"	61	32	42,50	55,20
	EKOS 800/130	EK80013010..	883	50	130	800	1"	108	56	60,60	78,80
	EKOS 600/130	EK60013010..	683	50	130	600	1"	87	45	51,00	66,30
	EKOS PLUS 2000	EP200010..	2070	50	95	2000	1"	196	99	165,00	214,50
	EKOS PLUS 1800	EP180010..	1870	50	95	1800	1"	178	90	150,00	195,00
	EKOS PLUS 1600	EP160010..	1670	50	95	1600	1"	160	80	140,00	182,00
	EKOS PLUS 1400	EP140010..	1470	50	95	1400	1"	143	72	127,00	165,10
	EKOS PLUS 1200	EP120010..	1270	50	95	1200	1"	126	64	118,00	153,40
	EKOS PLUS 1000	EP100010..	1070	50	95	1000	1"	109	57	103,00	133,90
	EKOS PLUS 900	EP090010..	970	50	95	900	1"	101	53	96,00	124,80
	OSCAR 2000	OS200010..	2046	80	95	2000	1"	321	161	165,00	214,50
	OSCAR 1800	OS180010..	1846	80	95	1800	1"	297	148	150,00	195,00
	OSCAR 1600	OS160010..	1646	80	95	1600	1"	271	136	140,00	182,00
	OSCAR 1400	OS140010..	1446	80	95	1400	1"	245	123	127,00	165,10
	OSCAR 1200	OS120010..	1246	80	95	1200	1"	218	109	118,00	153,40
	OSCAR 1000	OS100010..	1046	80	95	1000	1"	190	95	103,00	133,90
	OSCAR 900	OS090010..	946	80	95	900	1"	175	88	96,00	124,80
	OSCAR TONDO 2000	OST200010..	2046	80	95	2000	1"	321	161	165,00	214,50
	OSCAR TONDO 1800	OST180010..	1846	80	95	1800	1"	297	148	150,00	195,00
	OSCAR TONDO 1600	OST160010..	1646	80	95	1600	1"	271	136	140,00	182,00
	OSCAR TONDO 1400	OST140010..	1446	80	95	1400	1"	245	123	127,00	165,10
	OSCAR TONDO 1200	OST120010..	1246	80	95	1200	1"	218	109	118,00	153,40
	OSCAR TONDO 1000	OST100010..	1046	80	95	1000	1"	190	95	103,00	133,90
	OSCAR TONDO 900	OST090010..	946	80	95	900	1"	175	88	96,00	124,80

RADIATOR ASSEMBLY

GL-Vip-Vox-VoxExtra-Mix-Klass-Iseo-Lovere: carboard boxes from 2 to 12 sections for models 800-700
carboard boxes from 2 to 14 sections for models 600-500-350-300-200-GL350/D-GL200/D

Ekos: carboard boxes from 3 to 14 sections for models 800/95-700/95
carboard boxes from 3 to 16 sections for models 600/95-500/95
carboard boxes from 3 to 14 sections for model EKOS 800/130
carboard boxes from 3 to 16 sections for model EKOS 600/130

Ekos Plus: carboard boxes from 3 to 10 sections for all models

Oscar - Oscar Tondo: carboard boxes from 2 to 10 sections for all models

towel warmers			CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connections	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR white RAL 9010 Euro	special colours** Euro
	JUNIOR	450/7	JU450071001	730	492	42	450	1”	377	201	554,00	721,00
	JUNIOR	450/10	JU450101001	970	492	42	450	1”	488	260	635,00	826,00
	JUNIOR	450/12	JU450121001	1210	492	42	450	1”	597	319	758,00	986,00
	JUNIOR	450/15	JU450151001	1540	492	42	450	1”	743	396	935,00	1216,00
	VETTA	800/400	VE080040010	800	425	27	400	1/2”	333	174	325,00	423,00
	VETTA	800/450	VE080045010	800	475	27	450	1/2”	338	180	325,00	423,00
	VETTA	800/500	VE080050010	800	525	27	500	1/2”	367	197	325,00	423,00
	VETTA	800/550	VE080055010	800	575	27	550	1/2”	397	213	325,00	423,00
	VETTA	800/600	VE080060010	800	625	27	600	1/2”	427	229	325,00	423,00
	VETTA	1200/400	VE120040010	1200	425	27	400	1/2”	482	256	400,00	520,00
	VETTA	1200/450	VE120045010	1200	475	27	450	1/2”	513	275	400,00	520,00
	VETTA	1200/500	VE120050010	1200	525	27	500	1/2”	558	299	400,00	520,00
	VETTA	1200/550	VE120055010	1200	575	27	550	1/2”	603	323	400,00	520,00
	VETTA	1200/600	VE120060010	1200	625	27	600	1/2”	649	347	400,00	520,00
	VETTA	1500/400	VE150040010	1500	425	27	400	1/2”	604	321	484,00	630,00
	VETTA	1500/450	VE150045010	1500	475	27	450	1/2”	647	343	484,00	630,00
	VETTA	1500/500	VE150050010	1500	525	27	500	1/2”	703	372	484,00	630,00
	VETTA	1500/550	VE150055010	1500	575	27	550	1/2”	759	401	484,00	630,00
	VETTA	1500/600	VE150060010	1500	625	27	600	1/2”	815	430	484,00	630,00
	VETTA	1800/400	VE180040010	1800	425	27	400	1/2”	736	393	572,00	744,00
	VETTA	1800/450	VE180045010	1800	475	27	450	1/2”	783	411	572,00	744,00
	VETTA	1800/500	VE180050010	1800	525	27	500	1/2”	849	445	572,00	744,00
	VETTA	1800/550	VE180055010	1800	575	27	550	1/2”	915	478	572,00	744,00
	VETTA	1800/600	VE180060010	1800	625	27	600	1/2”	981	511	572,00	744,00

towel warmers accessories included

JUNIOR	n. 2	art. A030 white or special colours wall brackets
	n. 1	reducer kit art. A047 1/2” white or special colours wall brackets
VETTA	n. 2/3	art. A031 white or special colours wall brackets
	n. 1	art. A041 1/2” white or special colours manual air vent valve
	n. 1	art. A011 1/2” white or special colours plug

radiator model		n. of sections	CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR white RAL 9010 Euro	special colours** Euro
	SEBINO 350	5	SE03501005	384	420	60	350	1/2"	**356**	183	**454,00**	568,00
		6	**06**	384	500	60	350	1/2"	**427**	220	**508,00**	635,00
		7	**07**	384	580	60	350	1/2"	**498**	256	**567,00**	709,00
		8	**08**	384	660	60	350	1/2"	**569**	293	**630,00**	788,00
		9	**09**	384	740	60	350	1/2"	**640**	329	**692,00**	865,00
		10	**10**	384	820	60	350	1/2"	**711**	366	**756,00**	945,00
		11	**11**	384	900	60	350	1/2"	**782**	403	**821,00**	1027,00
		12	**12**	384	980	60	350	1/2"	**853**	439	**886,00**	1108,00
		13	**13**	384	1060	60	350	1/2"	**924**	476	**953,00**	1192,00
		14	**14**	384	1140	60	350	1/2"	**995**	512	**1016,00**	1270,00
	SEBINO 500	5	SE05001005	534	420	60	500	1/2"	**458**	235	**497,00**	622,00
		6	**06**	534	500	60	500	1/2"	**550**	281	**565,00**	707,00
		7	**07**	534	580	60	500	1/2"	**641**	328	**638,00**	798,00
		8	**08**	534	660	60	500	1/2"	**733**	375	**707,00**	884,00
		9	**09**	534	740	60	500	1/2"	**824**	422	**783,00**	979,00
		10	**10**	534	820	60	500	1/2"	**916**	469	**854,00**	1068,00
		11	**11**	534	900	60	500	1/2"	**1008**	516	**927,00**	1159,00
		12	**12**	534	980	60	500	1/2"	**1099**	563	**997,00**	1247,00
		13	**13**	534	1060	60	500	1/2"	**1191**	610	**1072,00**	1340,00
		14	**14**	534	1140	60	500	1/2"	**1282**	657	**1143,00**	1429,00
	SEBINO 530	5	SE05301005	564	420	60	530	1/2"	**478**	244	**517,00**	647,00
		6	**06**	564	500	60	530	1/2"	**573**	293	**582,00**	728,00
		7	**07**	564	580	60	530	1/2"	**669**	342	**658,00**	823,00
		8	**08**	564	660	60	530	1/2"	**764**	390	**728,00**	910,00
		9	**09**	564	740	60	530	1/2"	**860**	439	**805,00**	1007,00
		10	**10**	564	820	60	530	1/2"	**955**	488	**881,00**	1102,00
		11	**11**	564	900	60	530	1/2"	**1051**	537	**958,00**	1198,00
		12	**12**	564	980	60	530	1/2"	**1146**	586	**1026,00**	1283,00
		13	**13**	564	1060	60	530	1/2"	**1242**	634	**1100,00**	1375,00
		14	**14**	564	1140	60	530	1/2"	**1337**	683	**1178,00**	1473,00
	SEBINO 600	5	SE06001005	634	420	60	600	1/2"	**523**	266	**533,00**	667,00
		6	**06**	634	500	60	600	1/2"	**627**	319	**603,00**	754,00
		7	**07**	634	580	60	600	1/2"	**732**	372	**681,00**	852,00
		8	**08**	634	660	60	600	1/2"	**836**	426	**759,00**	949,00
		9	**09**	634	740	60	600	1/2"	**941**	479	**840,00**	1050,00
		10	**10**	634	820	60	600	1/2"	**1045**	532	**916,00**	1145,00
		11	**11**	634	900	60	600	1/2"	**1150**	585	**998,00**	1248,00
		12	**12**	634	980	60	600	1/2"	**1254**	638	**1072,00**	1340,00
		13	**13**	634	1060	60	600	1/2"	**1359**	692	**1156,00**	1445,00
		14	**14**	634	1140	60	600	1/2"	**1463**	745	**1232,00**	1540,00
	SEBINO 623	5	SE06231005	657	420	60	623	1/2"	**537**	274	**545,00**	682,00
		6	**06**	657	500	60	623	1/2"	**644**	328	**621,00**	777,00
		7	**07**	657	580	60	623	1/2"	**752**	383	**702,00**	878,00
		8	**08**	657	660	60	623	1/2"	**859**	438	**781,00**	977,00
		9	**09**	657	740	60	623	1/2"	**967**	492	**862,00**	1078,00
		10	**10**	657	820	60	623	1/2"	**1074**	547	**944,00**	1180,00
		11	**11**	657	900	60	623	1/2"	**1181**	602	**1026,00**	1283,00
		12	**12**	657	980	60	623	1/2"	**1289**	656	**1102,00**	1378,00
		13	**13**	657	1060	60	623	1/2"	**1396**	711	**1185,00**	1482,00
		14	**14**	657	1140	60	623	1/2"	**1504**	766	**1271,00**	1589,00





radiator model	n. of sections	CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR white RAL 9010 Euro	special colours** Euro
SEBINO 700	5	SE07001005	734	420	60	700	1/2”	585	297	562,00	703,00
	6	06	734	500	60	700	1/2”	701	356	643,00	804,00
	7	07	734	580	60	700	1/2”	818	415	728,00	910,00
	8	08	734	660	60	700	1/2”	935	474	810,00	1013,00
	9	09	734	740	60	700	1/2”	1052	534	897,00	1122,00
	10	10	734	820	60	700	1/2”	1169	593	983,00	1229,00
	11	11	734	900	60	700	1/2”	1286	652	1072,00	1340,00
	12	12	734	980	60	700	1/2”	1403	712	1157,00	1447,00
	13	13	734	1060	60	700	1/2”	1520	771	1242,00	1553,00
	14	14	734	1140	60	700	1/2”	1637	830	1325,00	1657,00
SEBINO 730	5	SE07301005	764	420	60	730	1/2”	603	306	578,00	723,00
	6	06	764	500	60	730	1/2”	724	367	663,00	829,00
	7	07	764	580	60	730	1/2”	844	428	749,00	937,00
	8	08	764	660	60	730	1/2”	965	489	834,00	1043,00
	9	09	764	740	60	730	1/2”	1085	550	924,00	1155,00
	10	10	764	820	60	730	1/2”	1206	611	1014,00	1268,00
	11	11	764	900	60	730	1/2”	1327	672	1106,00	1383,00
	12	12	764	980	60	730	1/2”	1447	733	1191,00	1489,00
	13	13	764	1060	60	730	1/2”	1568	794	1277,00	1597,00
	14	14	764	1140	60	730	1/2”	1688	855	1361,00	1702,00
SEBINO 800	5	SE08001005	834	420	60	800	1/2”	645	326	590,00	738,00
	6	06	834	500	60	800	1/2”	774	391	681,00	852,00
	7	07	834	580	60	800	1/2”	903	456	772,00	965,00
	8	08	834	660	60	800	1/2”	1032	522	856,00	1070,00
	9	09	834	740	60	800	1/2”	1161	587	953,00	1192,00
	10	10	834	820	60	800	1/2”	1290	652	1046,00	1308,00
	11	11	834	900	60	800	1/2”	1419	717	1140,00	1425,00
	12	12	834	980	60	800	1/2”	1548	782	1226,00	1533,00
	13	13	834	1060	60	800	1/2”	1677	848	1321,00	1652,00
	14	14	834	1140	60	800	1/2”	1806	913	1415,00	1769,00
SEBINO 813	5	SE08131005	847	420	60	813	1/2”	653	330	624,00	780,00
	6	06	847	500	60	813	1/2”	783	395	715,00	894,00
	7	07	847	580	60	813	1/2”	914	461	805,00	1007,00
	8	08	847	660	60	813	1/2”	1044	527	899,00	1124,00
	9	09	847	740	60	813	1/2”	1175	593	998,00	1248,00
	10	10	847	820	60	813	1/2”	1305	659	1098,00	1373,00
	11	11	847	900	60	813	1/2”	1436	725	1197,00	1497,00
	12	12	847	980	60	813	1/2”	1566	791	1288,00	1610,00
	13	13	847	1060	60	813	1/2”	1697	857	1384,00	1730,00
	14	14	847	1140	60	813	1/2”	1827	923	1485,00	1857,00
SEBINO 900	4	SE09001004	934	340	60	900	1/2”	563	283	567,00	709,00
	5	05	934	420	60	900	1/2”	704	354	653,00	817,00
	6	06	934	500	60	900	1/2”	844	425	741,00	927,00
	7	07	934	580	60	900	1/2”	985	496	850,00	1063,00
	8	08	934	660	60	900	1/2”	1126	566	953,00	1192,00
	9	09	934	740	60	900	1/2”	1266	637	1061,00	1327,00
	10	10	934	820	60	900	1/2”	1407	708	1167,00	1459,00
	11	11	934	900	60	900	1/2”	1548	779	1271,00	1589,00
	12	12	934	980	60	900	1/2”	1688	850	1367,00	1709,00
	13	13	934	1060	60	900	1/2”	1829	920	1469,00	1837,00
	14	14	934	1140	60	900	1/2”	1970	991	1566,00	1958,00
SEBINO 1000	4	SE10001004	1034	340	60	1000	1/2”	608	305	601,00	752,00
	5	05	1034	420	60	1000	1/2”	761	382	699,00	874,00
	6	06	1034	500	60	1000	1/2”	913	458	801,00	1002,00
	7	07	1034	580	60	1000	1/2”	1065	534	908,00	1135,00
	8	08	1034	660	60	1000	1/2”	1217	610	1016,00	1270,00
	9	09	1034	740	60	1000	1/2”	1369	687	1124,00	1405,00
	10	10	1034	820	60	1000	1/2”	1521	763	1234,00	1543,00
	11	11	1034	900	60	1000	1/2”	1673	839	1344,00	1680,00
	12	12	1034	980	60	1000	1/2”	1825	916	1448,00	1810,00
	13	13	1034	1060	60	1000	1/2”	1977	992	1554,00	1943,00
	14	14	1034	1140	60	1000	1/2”	2129	1068	1662,00	2078,00



radiator model	n. of sections	CODE* white colour	dimensions mm: overall height	dimensions mm: width	dimensions mm: depth	pipe centres	Ø connections	heat output EN 442 Watt: ΔT 50°C	heat output EN 442 Watt: ΔT 30°C	PRICE PER RADIATOR: white RAL 9010 Euro	PRICE PER RADIATOR: special colours** Euro
SEBINO 1200	4	SE12001004	1234	340	60	1200	1/2”	**697**	348	**621,00**	777,00
	5	**05**	1234	420	60	1200	1/2”	**871**	435	**749,00**	937,00
	6	**06**	1234	500	60	1200	1/2”	**1045**	522	**875,00**	1094,00
	7	**07**	1234	580	60	1200	1/2”	**1219**	609	**1004,00**	1255,00
	8	**08**	1234	660	60	1200	1/2”	**1394**	696	**1114,00**	1393,00
	9	**09**	1234	740	60	1200	1/2”	**1568**	783	**1236,00**	1545,00
	10	**10**	1234	820	60	1200	1/2”	**1742**	870	**1355,00**	1694,00
SEBINO 1400	4	SE14001004	1434	340	60	1400	1/2”	**782**	388	**673,00**	842,00
	5	**05**	1434	420	60	1400	1/2”	**978**	485	**813,00**	1017,00
	6	**06**	1434	500	60	1400	1/2”	**1173**	582	**953,00**	1192,00
	7	**07**	1434	580	60	1400	1/2”	**1369**	679	**1089,00**	1362,00
	8	**08**	1434	660	60	1400	1/2”	**1564**	776	**1226,00**	1533,00
	9	**09**	1434	740	60	1400	1/2”	**1760**	873	**1356,00**	1695,00
	10	**10**	1434	820	60	1400	1/2”	**1955**	970	**1489,00**	1862,00
SEBINO 1600	4	SE16001004	1634	340	60	1600	1/2”	**864**	429	**751,00**	939,00
	5	**05**	1634	420	60	1600	1/2”	**1081**	536	**901,00**	1127,00
	6	**06**	1634	500	60	1600	1/2”	**1297**	643	**1034,00**	1293,00
	7	**07**	1634	580	60	1600	1/2”	**1513**	750	**1180,00**	1475,00
	8	**08**	1634	660	60	1600	1/2”	**1729**	858	**1327,00**	1659,00
	9	**09**	1634	740	60	1600	1/2”	**1945**	965	**1475,00**	1844,00
	10	**10**	1634	820	60	1600	1/2”	**2161**	1072	**1619,00**	2024,00
SEBINO 1735	4	SE17351004	1769	340	60	1735	1/2”	**918**	456	**789,00**	987,00
	5	**05**	1769	420	60	1735	1/2”	**1148**	570	**945,00**	1182,00
	6	**06**	1769	500	60	1735	1/2”	**1378**	683	**1085,00**	1357,00
	7	**07**	1769	580	60	1735	1/2”	**1607**	797	**1242,00**	1553,00
	8	**08**	1769	660	60	1735	1/2”	**1837**	911	**1393,00**	1742,00
	9	**09**	1769	740	60	1735	1/2”	**2066**	1025	**1548,00**	1935,00
	10	**10**	1769	820	60	1735	1/2”	**2296**	1139	**1699,00**	2124,00
SEBINO 1800	4	SE18001004	1834	340	60	1800	1/2”	**944**	468	**792,00**	990,00
	5	**05**	1834	420	60	1800	1/2”	**1181**	586	**948,00**	1185,00
	6	**06**	1834	500	60	1800	1/2”	**1417**	703	**1114,00**	1393,00
	7	**07**	1834	580	60	1800	1/2”	**1653**	820	**1276,00**	1595,00
	8	**08**	1834	660	60	1800	1/2”	**1889**	937	**1429,00**	1787,00
	9	**09**	1834	740	60	1800	1/2”	**2125**	1054	**1588,00**	1985,00
	10	**10**	1834	820	60	1800	1/2”	**2361**	1171	**1745,00**	2182,00
SEBINO 2000	4	SE20001004	2034	340	60	2000	1/2”	**1026**	509	**822,00**	1028,00
	5	**05**	2034	420	60	2000	1/2”	**1282**	636	**1004,00**	1255,00
	6	**06**	2034	500	60	2000	1/2”	**1538**	763	**1197,00**	1497,00
	7	**07**	2034	580	60	2000	1/2”	**1795**	890	**1367,00**	1709,00
	8	**08**	2034	660	60	2000	1/2”	**2051**	1018	**1531,00**	1914,00
	9	**09**	2034	740	60	2000	1/2”	**2308**	1145	**1701,00**	2127,00
	10	**10**	2034	820	60	2000	1/2”	**2564**	1272	**1870,00**	2338,00

accessories included for Sebino

n. 2/3 art. A051 brackets matched to the colours of the radiators
art. A011 1/2” white or special colours plug
n. 1 art. A041 1/2” white or special colours manual air vent valve

- Grids and hole plugs are supplied in the same colour as the radiator.
- Chrome grids and hole plugs are supplied on request; free of charge for coloured radiators, at an extra charge for white radiators according to the price list.
- Sebino radiators can also be fitted with a bottom connection (50 mm pipe centres), for underfloor pipes (G-H-iw-i-iz-L-M configurations) at a charge of € 12,00 net each radiator.





radiator model	n. of sections	CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR white RAL 9010 Euro	special colours** Euro
TONALE 350	6	TO03501006	384	300	95	350	1/2”	296	148	414,00	518,00
	7	07	384	350	95	350	1/2”	346	172	482,00	603,00
	8	08	384	400	95	350	1/2”	395	197	551,00	689,00
	9	09	384	450	95	350	1/2”	445	221	620,00	775,00
	10	10	384	500	95	350	1/2”	494	246	690,00	863,00
	11	11	384	550	95	350	1/2”	543	271	758,00	948,00
	12	12	384	600	95	350	1/2”	593	295	829,00	1037,00
	13	13	384	650	95	350	1/2”	642	320	897,00	1122,00
	14	14	384	700	95	350	1/2”	692	344	966,00	1208,00
	15	15	384	750	95	350	1/2”	741	369	1035,00	1294,00
	16	16	384	800	95	350	1/2”	790	394	1104,00	1380,00
	17	17	384	850	95	350	1/2”	840	418	1173,00	1467,00
	18	18	384	900	95	350	1/2”	889	443	1241,00	1552,00
	19	19	384	950	95	350	1/2”	939	467	1311,00	1639,00
	20	20	384	1000	95	350	1/2”	988	492	1380,00	1725,00
	21	21	384	1050	95	350	1/2”	1037	517	1449,00	1812,00
	22	22	384	1100	95	350	1/2”	1087	541	1518,00	1898,00
	23	23	384	1150	95	350	1/2”	1136	566	1586,00	1983,00
	24	24	384	1200	95	350	1/2”	1186	590	1656,00	2070,00
TONALE 500	6	TO05001006	534	300	95	500	1/2”	404	202	484,00	605,00
	7	07	534	350	95	500	1/2”	472	235	565,00	707,00
	8	08	534	400	95	500	1/2”	539	269	647,00	809,00
	9	09	534	450	95	500	1/2”	607	302	727,00	909,00
	10	10	534	500	95	500	1/2”	674	336	808,00	1010,00
	11	11	534	550	95	500	1/2”	741	370	888,00	1110,00
	12	12	534	600	95	500	1/2”	809	403	970,00	1213,00
	13	13	534	650	95	500	1/2”	876	437	1050,00	1313,00
	14	14	534	700	95	500	1/2”	944	470	1131,00	1414,00
	15	15	534	750	95	500	1/2”	1011	504	1211,00	1514,00
	16	16	534	800	95	500	1/2”	1078	538	1293,00	1617,00
	17	17	534	850	95	500	1/2”	1146	571	1374,00	1718,00
	18	18	534	900	95	500	1/2”	1213	605	1454,00	1818,00
	19	19	534	950	95	500	1/2”	1281	638	1535,00	1919,00
	20	20	534	1000	95	500	1/2”	1348	672	1616,00	2020,00
	21	21	534	1050	95	500	1/2”	1415	706	1697,00	2122,00
	22	22	534	1100	95	500	1/2”	1483	739	1777,00	2222,00
	23	23	534	1150	95	500	1/2”	1550	773	1859,00	2324,00
	24	24	534	1200	95	500	1/2”	1618	806	1940,00	2425,00
TONALE 530	6	TO05301006	564	300	95	530	1/2”	425	212	505,00	632,00
	7	07	564	350	95	530	1/2”	496	248	588,00	735,00
	8	08	564	400	95	530	1/2”	567	283	673,00	842,00
	9	09	564	450	95	530	1/2”	638	319	756,00	945,00
	10	10	564	500	95	530	1/2”	709	354	841,00	1052,00
	11	11	564	550	95	530	1/2”	780	389	925,00	1157,00
	12	12	564	600	95	530	1/2”	851	425	1008,00	1260,00
	13	13	564	650	95	530	1/2”	922	460	1092,00	1365,00
	14	14	564	700	95	530	1/2”	993	496	1177,00	1472,00
	15	15	564	750	95	530	1/2”	1064	531	1262,00	1578,00
	16	16	564	800	95	530	1/2”	1134	566	1344,00	1680,00
	17	17	564	850	95	530	1/2”	1205	602	1429,00	1787,00
	18	18	564	900	95	530	1/2”	1276	637	1514,00	1893,00
	19	19	564	950	95	530	1/2”	1347	673	1597,00	1997,00
	20	20	564	1000	95	530	1/2”	1418	708	1681,00	2102,00
	21	21	564	1050	95	530	1/2”	1489	743	1765,00	2207,00
	22	22	564	1100	95	530	1/2”	1560	779	1849,00	2312,00
	23	23	564	1150	95	530	1/2”	1631	814	1933,00	2417,00
	24	24	564	1200	95	530	1/2”	1702	850	2017,00	2522,00





radiator model	n. of sections	CODE* white colour	dimensions mm: overall height	dimensions mm: width	dimensions mm: depth	pipe centres	Ø connections	heat output EN 442 Watt: ΔT 50°C	heat output EN 442 Watt: ΔT 30°C	PRICE PER RADIATOR: white RAL 9010 Euro	PRICE PER RADIATOR: special colours** Euro
TONALE 600	6	TO06001006	634	300	95	600	1/2"	474	237	519,00	649,00
	7	07	634	350	95	600	1/2"	553	277	606,00	758,00
	8	08	634	400	95	600	1/2"	632	316	693,00	867,00
	9	09	634	450	95	600	1/2"	711	356	778,00	973,00
	10	10	634	500	95	600	1/2"	790	395	866,00	1083,00
	11	11	634	550	95	600	1/2"	869	435	952,00	1190,00
	12	12	634	600	95	600	1/2"	948	474	1038,00	1298,00
	13	13	634	650	95	600	1/2"	1027	514	1125,00	1407,00
	14	14	634	700	95	600	1/2"	1106	553	1211,00	1514,00
	15	15	634	750	95	600	1/2"	1185	593	1298,00	1623,00
	16	16	634	800	95	600	1/2"	1264	632	1384,00	1730,00
	17	17	634	850	95	600	1/2"	1343	672	1470,00	1838,00
	18	18	634	900	95	600	1/2"	1422	711	1558,00	1948,00
	19	19	634	950	95	600	1/2"	1501	751	1643,00	2054,00
	20	20	634	1000	95	600	1/2"	1580	790	1730,00	2163,00
	21	21	634	1050	95	600	1/2"	1659	830	1816,00	2270,00
	22	22	634	1100	95	600	1/2"	1738	869	1990,00	2488,00
	23	23	634	1150	95	600	1/2"	1817	909	2017,00	2522,00
	24	24	634	1200	95	600	1/2"	1896	948	2076,00	2595,00
TONALE 623	6	TO06231006	657	300	95	623	1/2"	490	245	544,00	680,00
	7	07	657	350	95	623	1/2"	572	286	633,00	792,00
	8	08	657	400	95	623	1/2"	654	326	724,00	905,00
	9	09	657	450	95	623	1/2"	735	367	815,00	1019,00
	10	10	657	500	95	623	1/2"	817	408	906,00	1133,00
	11	11	657	550	95	623	1/2"	899	449	996,00	1245,00
	12	12	657	600	95	623	1/2"	980	490	1087,00	1359,00
	13	13	657	650	95	623	1/2"	1062	530	1177,00	1472,00
	14	14	657	700	95	623	1/2"	1144	571	1267,00	1584,00
	15	15	657	750	95	623	1/2"	1226	612	1358,00	1698,00
	16	16	657	800	95	623	1/2"	1307	653	1449,00	1812,00
	17	17	657	850	95	623	1/2"	1389	694	1539,00	1924,00
	18	18	657	900	95	623	1/2"	1471	734	1629,00	2037,00
	19	19	657	950	95	623	1/2"	1552	775	1720,00	2150,00
	20	20	657	1000	95	623	1/2"	1634	816	1811,00	2264,00
	21	21	657	1050	95	623	1/2"	1716	857	1900,00	2375,00
	22	22	657	1100	95	623	1/2"	1797	898	1992,00	2490,00
	23	23	657	1150	95	623	1/2"	1879	938	2082,00	2603,00
	24	24	657	1200	95	623	1/2"	1961	979	2172,00	2715,00
TONALE 700	6	TO07001006	734	300	95	700	1/2"	543	272	570,00	713,00
	7	07	734	350	95	700	1/2"	634	317	664,00	830,00
	8	08	734	400	95	700	1/2"	724	362	759,00	949,00
	9	09	734	450	95	700	1/2"	815	408	854,00	1068,00
	10	10	734	500	95	700	1/2"	905	453	949,00	1187,00
	11	11	734	550	95	700	1/2"	996	498	1044,00	1305,00
	12	12	734	600	95	700	1/2"	1086	544	1138,00	1423,00
	13	13	734	650	95	700	1/2"	1177	589	1233,00	1542,00
	14	14	734	700	95	700	1/2"	1267	634	1328,00	1660,00
	15	15	734	750	95	700	1/2"	1358	680	1423,00	1779,00
	16	16	734	800	95	700	1/2"	1448	725	1518,00	1898,00
	17	17	734	850	95	700	1/2"	1539	770	1612,00	2015,00
	18	18	734	900	95	700	1/2"	1629	815	1707,00	2134,00
	19	19	734	950	95	700	1/2"	1720	861	1801,00	2252,00
	20	20	734	1000	95	700	1/2"	1810	906	1897,00	2372,00
	21	21	734	1050	95	700	1/2"	1901	951	1992,00	2490,00
	22	22	734	1100	95	700	1/2"	1991	997	2086,00	2608,00
	23	23	734	1150	95	700	1/2"	2082	1042	2181,00	2727,00
	24	24	734	1200	95	700	1/2"	2172	1087	2275,00	2844,00



radiator model	n. of sections	CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR white RAL 9010 Euro	special colours** Euro
	6	**TO07301006**	764	300	95	730	1/2"	**563**	282	**583,00**	729,00
	7	**07**	764	350	95	730	1/2"	**657**	329	**679,00**	849,00
	8	**08**	764	400	95	730	1/2"	**751**	376	**776,00**	970,00
	9	**09**	764	450	95	730	1/2"	**845**	423	**874,00**	1093,00
	10	**10**	764	500	95	730	1/2"	**939**	470	**970,00**	1213,00
	11	**11**	764	550	95	730	1/2"	**1033**	517	**1066,00**	1333,00
	12	**12**	764	600	95	730	1/2"	**1127**	564	**1164,00**	1455,00
	13	**13**	764	650	95	730	1/2"	**1221**	611	**1262,00**	1578,00
	14	**14**	764	700	95	730	1/2"	**1315**	658	**1358,00**	1698,00
TONALE 730	15	**15**	764	750	95	730	1/2"	**1409**	705	**1454,00**	1818,00
	16	**16**	764	800	95	730	1/2"	**1502**	752	**1551,00**	1939,00
	17	**17**	764	850	95	730	1/2"	**1596**	799	**1650,00**	2063,00
	18	**18**	764	900	95	730	1/2"	**1690**	846	**1746,00**	2183,00
	19	**19**	764	950	95	730	1/2"	**1784**	893	**1843,00**	2304,00
	20	**20**	764	1000	95	730	1/2"	**1878**	940	**1940,00**	2425,00
	21	**21**	764	1050	95	730	1/2"	**1972**	987	**2036,00**	2545,00
	22	**22**	764	1100	95	730	1/2"	**2066**	1034	**2133,00**	2667,00
	23	**23**	764	1150	95	730	1/2"	**2160**	1081	**2230,00**	2788,00
	24	**24**	764	1200	95	730	1/2"	**2254**	1128	**2328,00**	2910,00
	6	**TO08001006**	834	300	95	800	1/2"	**610**	305	**602,00**	753,00
	7	**07**	834	350	95	800	1/2"	**712**	356	**701,00**	877,00
	8	**08**	834	400	95	800	1/2"	**814**	407	**802,00**	1003,00
	9	**09**	834	450	95	800	1/2"	**915**	458	**902,00**	1128,00
	10	**10**	834	500	95	800	1/2"	**1017**	509	**1002,00**	1253,00
	11	**11**	834	550	95	800	1/2"	**1119**	560	**1103,00**	1379,00
	12	**12**	834	600	95	800	1/2"	**1220**	611	**1203,00**	1504,00
	13	**13**	834	650	95	800	1/2"	**1322**	662	**1302,00**	1628,00
	14	**14**	834	700	95	800	1/2"	**1424**	713	**1403,00**	1754,00
TONALE 800	15	**15**	834	750	95	800	1/2"	**1526**	764	**1503,00**	1879,00
	16	**16**	834	800	95	800	1/2"	**1627**	814	**1604,00**	2005,00
	17	**17**	834	850	95	800	1/2"	**1729**	865	**1704,00**	2130,00
	18	**18**	834	900	95	800	1/2"	**1831**	916	**1804,00**	2255,00
	19	**19**	834	950	95	800	1/2"	**1932**	967	**1903,00**	2379,00
	20	**20**	834	1000	95	800	1/2"	**2034**	1018	**2004,00**	2505,00
	21	**21**	834	1050	95	800	1/2"	**2136**	1069	**2104,00**	2630,00
	22	**22**	834	1100	95	800	1/2"	**2237**	1120	**2205,00**	2757,00
	23	**23**	834	1150	95	800	1/2"	**2339**	1171	**2305,00**	2882,00
	24	**24**	834	1200	95	800	1/2"	**2441**	1222	**2405,00**	3007,00
	6	**TO08131006**	847	300	95	813	1/2"	**619**	310	**628,00**	785,00
	7	**07**	847	350	95	813	1/2"	**722**	362	**732,00**	915,00
	8	**08**	847	400	95	813	1/2"	**825**	414	**836,00**	1045,00
	9	**09**	847	450	95	813	1/2"	**928**	465	**940,00**	1175,00
	10	**10**	847	500	95	813	1/2"	**1031**	517	**1045,00**	1307,00
	11	**11**	847	550	95	813	1/2"	**1134**	569	**1151,00**	1439,00
	12	**12**	847	600	95	813	1/2"	**1237**	620	**1253,00**	1567,00
	13	**13**	847	650	95	813	1/2"	**1340**	672	**1359,00**	1699,00
	14	**14**	847	700	95	813	1/2"	**1443**	724	**1464,00**	1830,00
TONALE 813	15	**15**	847	750	95	813	1/2"	**1547**	776	**1568,00**	1960,00
	16	**16**	847	800	95	813	1/2"	**1650**	827	**1672,00**	2090,00
	17	**17**	847	850	95	813	1/2"	**1753**	879	**1776,00**	2220,00
	18	**18**	847	900	95	813	1/2"	**1856**	931	**1881,00**	2352,00
	19	**19**	847	950	95	813	1/2"	**1959**	982	**1986,00**	2483,00
	20	**20**	847	1000	95	813	1/2"	**2062**	1034	**2090,00**	2613,00
	21	**21**	847	1050	95	813	1/2"	**2165**	1086	**2195,00**	2744,00
	22	**22**	847	1100	95	813	1/2"	**2268**	1137	**2299,00**	2874,00
	23	**23**	847	1150	95	813	1/2"	**2371**	1189	**2405,00**	3007,00
	24	**24**	847	1200	95	813	1/2"	**2474**	1241	**2509,00**	3137,00
	4	**TO09001004**	934	200	95	900	1/2"	**451**	226	**453,00**	567,00
TONALE 900	5	**05**	934	250	95	900	1/2"	**564**	283	**566,00**	708,00
	6	**06**	934	300	95	900	1/2"	**676**	339	**680,00**	850,00
	7	**07**	934	350	95	900	1/2"	**789**	396	**792,00**	990,00



	8	**TO09001008**	934	400	95	900	1/2”	**902**	452	**906,00**	1133,00
	9	**09**	934	450	95	900	1/2”	**1014**	509	**1019,00**	1274,00
	10	**10**	934	500	95	900	1/2”	**1127**	565	**1132,00**	1415,00
	11	**11**	934	550	95	900	1/2”	**1240**	622	**1245,00**	1557,00
	12	**12**	934	600	95	900	1/2”	**1352**	678	**1358,00**	1698,00
	13	**13**	934	650	95	900	1/2”	**1465**	735	**1471,00**	1839,00
	14	**14**	934	700	95	900	1/2”	**1578**	791	**1585,00**	1982,00
	15	**15**	934	750	95	900	1/2”	**1691**	848	**1697,00**	2122,00
TONALE 900	16	**16**	934	800	95	900	1/2”	**1803**	904	**1811,00**	2264,00
	17	**17**	934	850	95	900	1/2”	**1916**	961	**1924,00**	2405,00
	18	**18**	934	900	95	900	1/2”	**2029**	1017	**2036,00**	2545,00
	19	**19**	934	950	95	900	1/2”	**2141**	1074	**2150,00**	2688,00
	20	**20**	934	1000	95	900	1/2”	**2254**	1130	**2263,00**	2829,00
	21	**21**	934	1050	95	900	1/2”	**2367**	1187	**2376,00**	2970,00
	22	**22**	934	1100	95	900	1/2”	**2479**	1243	**2489,00**	3112,00
	23	**23**	934	1150	95	900	1/2”	**2592**	1300	**2602,00**	3253,00
	24	**24**	934	1200	95	900	1/2”	**2705**	1356	**2716,00**	3395,00
	4	**TO10001004**	1034	200	95	1000	1/2”	**494**	246	**496,00**	620,00
	5	**05**	1034	250	95	1000	1/2”	**618**	308	**619,00**	774,00
	6	**06**	1034	300	95	1000	1/2”	**741**	370	**744,00**	930,00
	7	**07**	1034	350	95	1000	1/2”	**865**	431	**868,00**	1085,00
	8	**08**	1034	400	95	1000	1/2”	**988**	493	**992,00**	1240,00
	9	**09**	1034	450	95	1000	1/2”	**1112**	554	**1115,00**	1394,00
	10	**10**	1034	500	95	1000	1/2”	**1235**	616	**1239,00**	1549,00
	11	**11**	1034	550	95	1000	1/2”	**1359**	678	**1363,00**	1704,00
	12	**12**	1034	600	95	1000	1/2”	**1482**	739	**1488,00**	1860,00
	13	**13**	1034	650	95	1000	1/2”	**1606**	801	**1611,00**	2014,00
TONALE 1000	14	**14**	1034	700	95	1000	1/2”	**1729**	862	**1736,00**	2170,00
	15	**15**	1034	750	95	1000	1/2”	**1853**	924	**1858,00**	2323,00
	16	**16**	1034	800	95	1000	1/2”	**1976**	986	**1982,00**	2478,00
	17	**17**	1034	850	95	1000	1/2”	**2100**	1047	**2106,00**	2633,00
	18	**18**	1034	900	95	1000	1/2”	**2223**	1109	**2230,00**	2788,00
	19	**19**	1034	950	95	1000	1/2”	**2347**	1170	**2355,00**	2944,00
	20	**20**	1034	1000	95	1000	1/2”	**2470**	1232	**2478,00**	3098,00
	21	**21**	1034	1050	95	1000	1/2”	**2594**	1294	**2602,00**	3253,00
	22	**22**	1034	1100	95	1000	1/2”	**2717**	1355	**2725,00**	3407,00
	23	**23**	1034	1150	95	1000	1/2”	**2841**	1417	**2851,00**	3564,00
	24	**24**	1034	1200	95	1000	1/2”	**2964**	1478	**2974,00**	3718,00
	4	**TO12001004**	1234	200	95	1200	1/2”	**578**	286	**561,00**	702,00
	5	**05**	1234	250	95	1200	1/2”	**723**	358	**700,00**	875,00
	6	**06**	1234	300	95	1200	1/2”	**868**	429	**841,00**	1052,00
	7	**07**	1234	350	95	1200	1/2”	**1012**	501	**980,00**	1225,00
	8	**08**	1234	400	95	1200	1/2”	**1157**	572	**1132,00**	1415,00
	9	**09**	1234	450	95	1200	1/2”	**1301**	644	**1262,00**	1578,00
TONALE 1200	10	**10**	1234	500	95	1200	1/2”	**1446**	715	**1401,00**	1752,00
	11	**11**	1234	550	95	1200	1/2”	**1591**	787	**1541,00**	1927,00
	12	**12**	1234	600	95	1200	1/2”	**1735**	858	**1681,00**	2102,00
	13	**13**	1234	650	95	1200	1/2”	**1880**	930	**1820,00**	2275,00
	14	**14**	1234	700	95	1200	1/2”	**2024**	1001	**1961,00**	2452,00
	15	**15**	1234	750	95	1200	1/2”	**2169**	1073	**2101,00**	2627,00
	16	**16**	1234	800	95	1200	1/2”	**2314**	1144	**2241,00**	2802,00
	4	**TO14001004**	1434	200	95	1400	1/2”	**660**	323	**620,00**	775,00
	5	**05**	1434	250	95	1400	1/2”	**825**	404	**776,00**	970,00
	6	**06**	1434	300	95	1400	1/2”	**990**	484	**930,00**	1163,00
	7	**07**	1434	350	95	1400	1/2”	**1155**	565	**1087,00**	1359,00
	8	**08**	1434	400	95	1400	1/2”	**1320**	646	**1241,00**	1552,00
	9	**09**	1434	450	95	1400	1/2”	**1485**	726	**1396,00**	1745,00
TONALE 1400	10	**10**	1434	500	95	1400	1/2”	**1650**	807	**1551,00**	1939,00
	11	**11**	1434	550	95	1400	1/2”	**1815**	888	**1707,00**	2134,00
	12	**12**	1434	600	95	1400	1/2”	**1980**	968	**1862,00**	2328,00
	13	**13**	1434	650	95	1400	1/2”	**2145**	1049	**2017,00**	2522,00
	14	**14**	1434	700	95	1400	1/2”	**2310**	1130	**2172,00**	2715,00
	15	**15**	1434	750	95	1400	1/2”	**2475**	1211	**2328,00**	2910,00
	16	**16**	1434	800	95	1400	1/2”	**2640**	1291	**2481,00**	3102,00



radiator model	n. of sections	CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR white RAL 9010 Euro	special colours** Euro
	4	TO16001004	1634	200	95	1600	1/2”	**738**	362	**675,00**	844,00
	5	**05**	1634	250	95	1600	1/2”	**923**	453	**844,00**	1055,00
	6	**06**	1634	300	95	1600	1/2”	**1108**	544	**1014,00**	1268,00
	7	**07**	1634	350	95	1600	1/2”	**1292**	634	**1182,00**	1478,00
	8	**08**	1634	400	95	1600	1/2”	**1477**	725	**1350,00**	1688,00
	9	**09**	1634	450	95	1600	1/2”	**1661**	815	**1519,00**	1899,00
TONALE 1600	10	**10**	1634	500	95	1600	1/2”	**1846**	906	**1687,00**	2109,00
	11	**11**	1634	550	95	1600	1/2”	**2031**	997	**1857,00**	2322,00
	12	**12**	1634	600	95	1600	1/2”	**2215**	1087	**2025,00**	2532,00
	13	**13**	1634	650	95	1600	1/2”	**2400**	1178	**2194,00**	2743,00
	14	**14**	1634	700	95	1600	1/2”	**2584**	1268	**2362,00**	2953,00
	15	**15**	1634	750	95	1600	1/2”	**2769**	1359	**2532,00**	3165,00
	16	**16**	1634	800	95	1600	1/2”	**2954**	1450	**2699,00**	3374,00
	4	TO17351004	1769	200	95	1735	1/2”	**790**	388	**742,00**	928,00
	5	**05**	1769	250	95	1735	1/2”	**988**	485	**927,00**	1159,00
	6	**06**	1769	300	95	1735	1/2”	**1185**	582	**1112,00**	1390,00
	7	**07**	1769	350	95	1735	1/2”	**1383**	679	**1298,00**	1623,00
	8	**08**	1769	400	95	1735	1/2”	**1580**	776	**1482,00**	1853,00
	9	**09**	1769	450	95	1735	1/2”	**1778**	873	**1668,00**	2085,00
TONALE 1735	10	**10**	1769	500	95	1735	1/2”	**1975**	970	**1854,00**	2318,00
	11	**11**	1769	550	95	1735	1/2”	**2173**	1067	**2038,00**	2548,00
	12	**12**	1769	600	95	1735	1/2”	**2370**	1164	**2223,00**	2779,00
	13	**13**	1769	650	95	1735	1/2”	**2568**	1261	**2409,00**	3012,00
	14	**14**	1769	700	95	1735	1/2”	**2765**	1358	**2595,00**	3244,00
	15	**15**	1769	750	95	1735	1/2”	**2963**	1455	**2779,00**	3474,00
	16	**16**	1769	800	95	1735	1/2”	**3160**	1552	**2965,00**	3707,00
	4	TO18001004	1834	200	95	1800	1/2”	**814**	400	**761,00**	952,00
	5	**05**	1834	250	95	1800	1/2”	**1018**	501	**950,00**	1188,00
	6	**06**	1834	300	95	1800	1/2”	**1222**	601	**1139,00**	1424,00
	7	**07**	1834	350	95	1800	1/2”	**1425**	701	**1330,00**	1663,00
	8	**08**	1834	400	95	1800	1/2”	**1629**	801	**1519,00**	1899,00
	9	**09**	1834	450	95	1800	1/2”	**1832**	901	**1709,00**	2137,00
TONALE 1800	10	**10**	1834	500	95	1800	1/2”	**2036**	1001	**1899,00**	2374,00
	11	**11**	1834	550	95	1800	1/2”	**2240**	1101	**2088,00**	2610,00
	12	**12**	1834	600	95	1800	1/2”	**2443**	1201	**2278,00**	2848,00
	13	**13**	1834	650	95	1800	1/2”	**2647**	1301	**2468,00**	3085,00
	14	**14**	1834	700	95	1800	1/2”	**2850**	1401	**2658,00**	3323,00
	15	**15**	1834	750	95	1800	1/2”	**3054**	1502	**2848,00**	3560,00
	16	**16**	1834	800	95	1800	1/2”	**3258**	1602	**3037,00**	3797,00
	4	TO20001004	2034	200	95	2000	1/2”	**888**	438	**802,00**	1003,00
	5	**05**	2034	250	95	2000	1/2”	**1110**	547	**1002,00**	1253,00
	6	**06**	2034	300	95	2000	1/2”	**1332**	656	**1203,00**	1504,00
	7	**07**	2034	350	95	2000	1/2”	**1554**	766	**1403,00**	1754,00
	8	**08**	2034	400	95	2000	1/2”	**1776**	875	**1604,00**	2005,00
	9	**09**	2034	450	95	2000	1/2”	**1998**	985	**1804,00**	2255,00
TONALE 2000	10	**10**	2034	500	95	2000	1/2”	**2220**	1094	**2004,00**	2505,00
	11	**11**	2034	550	95	2000	1/2”	**2442**	1203	**2205,00**	2757,00
	12	**12**	2034	600	95	2000	1/2”	**2664**	1313	**2405,00**	3007,00
	13	**13**	2034	650	95	2000	1/2”	**2886**	1422	**2605,00**	3257,00
	14	**14**	2034	700	95	2000	1/2”	**3108**	1532	**2806,00**	3508,00
	15	**15**	2034	750	95	2000	1/2”	**3330**	1641	**3006,00**	3758,00
	16	**16**	2034	800	95	2000	1/2”	**3552**	1750	**3206,00**	4008,00

accessories included for Tonale

n. 2/3 art. A260 brackets matched to the colours of the radiators
art. A011 1/2” white or special colours plug
n. 1 art. A041 1/2” white or special colours manual air vent valve

- Grids and hole plugs are supplied in the same colour as the radiator.
- Chrome grids and hole plugs are supplied on request; free of charge for coloured radiators, at an extra charge for white radiators according to the price list.
- Tonale radiators can also be fitted with a bottom connection (50 mm pipe centres), for underfloor pipes (G-H-iw-i-iz-L-M configurations) at a charge of € 12,00 net each radiator.

radiator model	n. of sections	CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR white RAL 9010 Euro	special colours** Euro
	6	**AN03501006**	384	300	95	350	1/2"	**288**	145	**414,00**	518,00
	7	**07**	384	350	95	350	1/2"	**336**	169	**482,00**	603,00
	8	**08**	384	400	95	350	1/2"	**384**	193	**551,00**	689,00
	9	**09**	384	450	95	350	1/2"	**432**	217	**620,00**	775,00
	10	**10**	384	500	95	350	1/2"	**480**	241	**690,00**	863,00
	11	**11**	384	550	95	350	1/2"	**528**	265	**758,00**	948,00
	12	**12**	384	600	95	350	1/2"	**576**	289	**829,00**	1037,00
	13	**13**	384	650	95	350	1/2"	**624**	313	**897,00**	1122,00
ANTEPRIMA 350	14	**14**	384	700	95	350	1/2"	**672**	337	**966,00**	1208,00
	15	**15**	384	750	95	350	1/2"	**720**	362	**1035,00**	1294,00
	16	**16**	384	800	95	350	1/2"	**768**	386	**1104,00**	1380,00
	17	**17**	384	850	95	350	1/2"	**816**	410	**1173,00**	1467,00
	18	**18**	384	900	95	350	1/2"	**864**	434	**1241,00**	1552,00
	19	**19**	384	950	95	350	1/2"	**912**	458	**1311,00**	1639,00
	20	**20**	384	1000	95	350	1/2"	**960**	482	**1380,00**	1725,00
	21	**21**	384	1050	95	350	1/2"	**1008**	506	**1449,00**	1812,00
	22	**22**	384	1100	95	350	1/2"	**1056**	530	**1518,00**	1898,00
	23	**23**	384	1150	95	350	1/2"	**1104**	554	**1586,00**	1983,00
	24	**24**	384	1200	95	350	1/2"	**1152**	578	**1656,00**	2070,00
	6	**AN05001006**	534	300	95	500	1/2"	**391**	197	**484,00**	605,00
	7	**07**	534	350	95	500	1/2"	**456**	230	**565,00**	707,00
	8	**08**	534	400	95	500	1/2"	**522**	262	**647,00**	809,00
	9	**09**	534	450	95	500	1/2"	**587**	295	**727,00**	909,00
	10	**10**	534	500	95	500	1/2"	**652**	328	**808,00**	1010,00
	11	**11**	534	550	95	500	1/2"	**717**	361	**888,00**	1110,00
	12	**12**	534	600	95	500	1/2"	**782**	394	**970,00**	1213,00
	13	**13**	534	650	95	500	1/2"	**848**	426	**1050,00**	1313,00
ANTEPRIMA 500	14	**14**	534	700	95	500	1/2"	**913**	459	**1131,00**	1414,00
	15	**15**	534	750	95	500	1/2"	**978**	492	**1211,00**	1514,00
	16	**16**	534	800	95	500	1/2"	**1043**	525	**1293,00**	1617,00
	17	**17**	534	850	95	500	1/2"	**1108**	558	**1374,00**	1718,00
	18	**18**	534	900	95	500	1/2"	**1174**	590	**1454,00**	1818,00
	19	**19**	534	950	95	500	1/2"	**1239**	623	**1535,00**	1919,00
	20	**20**	534	1000	95	500	1/2"	**1304**	656	**1616,00**	2020,00
	21	**21**	534	1050	95	500	1/2"	**1369**	689	**1697,00**	2122,00
	22	**22**	534	1100	95	500	1/2"	**1434**	722	**1777,00**	2222,00
	23	**23**	534	1150	95	500	1/2"	**1500**	754	**1859,00**	2324,00
	24	**24**	534	1200	95	500	1/2"	**1565**	787	**1940,00**	2425,00
	6	**AN05301006**	564	300	95	530	1/2"	**412**	207	**505,00**	632,00
	7	**07**	564	350	95	530	1/2"	**480**	242	**588,00**	735,00
	8	**08**	564	400	95	530	1/2"	**549**	276	**673,00**	842,00
	9	**09**	564	450	95	530	1/2"	**617**	311	**756,00**	945,00
	10	**10**	564	500	95	530	1/2"	**686**	345	**841,00**	1052,00
	11	**11**	564	550	95	530	1/2"	**755**	380	**925,00**	1157,00
	12	**12**	564	600	95	530	1/2"	**823**	414	**1008,00**	1260,00
	13	**13**	564	650	95	530	1/2"	**892**	449	**1092,00**	1365,00
ANTEPRIMA 530	14	**14**	564	700	95	530	1/2"	**960**	483	**1177,00**	1472,00
	15	**15**	564	750	95	530	1/2"	**1029**	518	**1262,00**	1578,00
	16	**16**	564	800	95	530	1/2"	**1098**	552	**1344,00**	1680,00
	17	**17**	564	850	95	530	1/2"	**1166**	587	**1429,00**	1787,00
	18	**18**	564	900	95	530	1/2"	**1235**	621	**1514,00**	1893,00
	19	**19**	564	950	95	530	1/2"	**1303**	656	**1597,00**	1997,00
	20	**20**	564	1000	95	530	1/2"	**1372**	690	**1681,00**	2102,00
	21	**21**	564	1050	95	530	1/2"	**1441**	725	**1765,00**	2207,00
	22	**22**	564	1100	95	530	1/2"	**1509**	759	**1849,00**	2312,00
	23	**23**	564	1150	95	530	1/2"	**1578**	794	**1933,00**	2417,00
	24	**24**	564	1200	95	530	1/2"	**1646**	828	**2017,00**	2522,00



radiator model	n. of sections	CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR white RAL 9010 Euro	special colours** Euro
ANTEPRIMA 600	6	AN06001006	634	300	95	600	1/2"	458	231	519,00	649,00
	7	07	634	350	95	600	1/2"	535	270	606,00	758,00
	8	08	634	400	95	600	1/2"	611	308	693,00	867,00
	9	09	634	450	95	600	1/2"	688	347	778,00	973,00
	10	10	634	500	95	600	1/2"	764	385	866,00	1083,00
	11	11	634	550	95	600	1/2"	840	424	952,00	1190,00
	12	12	634	600	95	600	1/2"	917	462	1038,00	1298,00
	13	13	634	650	95	600	1/2"	993	501	1125,00	1407,00
	14	14	634	700	95	600	1/2"	1070	539	1211,00	1514,00
	15	15	634	750	95	600	1/2"	1146	578	1298,00	1623,00
	16	16	634	800	95	600	1/2"	1222	616	1384,00	1730,00
	17	17	634	850	95	600	1/2"	1299	655	1470,00	1838,00
	18	18	634	900	95	600	1/2"	1375	693	1558,00	1948,00
	19	19	634	950	95	600	1/2"	1452	732	1643,00	2054,00
	20	20	634	1000	95	600	1/2"	1528	770	1730,00	2163,00
	21	21	634	1050	95	600	1/2"	1604	809	1816,00	2270,00
	22	22	634	1100	95	600	1/2"	1681	847	1990,00	2488,00
	23	23	634	1150	95	600	1/2"	1757	886	2017,00	2522,00
	24	24	634	1200	95	600	1/2"	1834	924	2076,00	2595,00
ANTEPRIMA 623	6	AN06231006	657	300	95	623	1/2"	474	239	544,00	680,00
	7	07	657	350	95	623	1/2"	553	279	633,00	792,00
	8	08	657	400	95	623	1/2"	632	318	724,00	905,00
	9	09	657	450	95	623	1/2"	711	358	815,00	1019,00
	10	10	657	500	95	623	1/2"	790	398	906,00	1133,00
	11	11	657	550	95	623	1/2"	869	438	996,00	1245,00
	12	12	657	600	95	623	1/2"	948	478	1087,00	1359,00
	13	13	657	650	95	623	1/2"	1027	517	1177,00	1472,00
	14	14	657	700	95	623	1/2"	1106	557	1267,00	1584,00
	15	15	657	750	95	623	1/2"	1185	597	1358,00	1698,00
	16	16	657	800	95	623	1/2"	1264	637	1449,00	1812,00
	17	17	657	850	95	623	1/2"	1343	677	1539,00	1924,00
	18	18	657	900	95	623	1/2"	1422	716	1629,00	2037,00
	19	19	657	950	95	623	1/2"	1501	756	1720,00	2150,00
	20	20	657	1000	95	623	1/2"	1580	796	1811,00	2264,00
	21	21	657	1050	95	623	1/2"	1659	836	1900,00	2375,00
	22	22	657	1100	95	623	1/2"	1738	876	1992,00	2490,00
	23	23	657	1150	95	623	1/2"	1817	915	2082,00	2603,00
	24	24	657	1200	95	623	1/2"	1896	955	2172,00	2715,00
ANTEPRIMA 700	6	AN07001006	734	300	95	700	1/2"	524	265	570,00	713,00
	7	07	734	350	95	700	1/2"	612	309	664,00	830,00
	8	08	734	400	95	700	1/2"	699	353	759,00	949,00
	9	09	734	450	95	700	1/2"	787	397	854,00	1068,00
	10	10	734	500	95	700	1/2"	874	441	949,00	1187,00
	11	11	734	550	95	700	1/2"	961	485	1044,00	1305,00
	12	12	734	600	95	700	1/2"	1049	529	1138,00	1423,00
	13	13	734	650	95	700	1/2"	1136	573	1233,00	1542,00
	14	14	734	700	95	700	1/2"	1224	617	1328,00	1660,00
	15	15	734	750	95	700	1/2"	1311	662	1423,00	1779,00
	16	16	734	800	95	700	1/2"	1398	706	1518,00	1898,00
	17	17	734	850	95	700	1/2"	1486	750	1612,00	2015,00
	18	18	734	900	95	700	1/2"	1573	794	1707,00	2134,00
	19	19	734	950	95	700	1/2"	1661	838	1801,00	2252,00
	20	20	734	1000	95	700	1/2"	1748	882	1897,00	2372,00
	21	21	734	1050	95	700	1/2"	1835	926	1992,00	2490,00
	22	22	734	1100	95	700	1/2"	1923	970	2086,00	2608,00
	23	23	734	1150	95	700	1/2"	2010	1014	2181,00	2727,00
	24	24	734	1200	95	700	1/2"	2098	1058	2275,00	2844,00



radiator model	n. of sections	CODE* white colour	dimensions mm: overall height	dimensions mm: width	dimensions mm: depth	pipe centres	Ø connections	heat output EN 442 Watt: ΔT 50°C	heat output EN 442 Watt: ΔT 30°C	PRICE PER RADIATOR: white RAL 9010 Euro	PRICE PER RADIATOR: special colours** Euro
ANTEPRIMA 730	6	AN07301006	764	300	95	730	1/2"	544	275	583,00	729,00
	7	07	764	350	95	730	1/2"	635	321	679,00	849,00
	8	08	764	400	95	730	1/2"	726	366	776,00	970,00
	9	09	764	450	95	730	1/2"	816	412	874,00	1093,00
	10	10	764	500	95	730	1/2"	907	458	970,00	1213,00
	11	11	764	550	95	730	1/2"	998	504	1066,00	1333,00
	12	12	764	600	95	730	1/2"	1088	550	1164,00	1455,00
	13	13	764	650	95	730	1/2"	1179	595	1262,00	1578,00
	14	14	764	700	95	730	1/2"	1270	641	1358,00	1698,00
	15	15	764	750	95	730	1/2"	1361	687	1454,00	1818,00
	16	16	764	800	95	730	1/2"	1451	733	1551,00	1939,00
	17	17	764	850	95	730	1/2"	1542	779	1650,00	2063,00
	18	18	764	900	95	730	1/2"	1633	824	1746,00	2183,00
	19	19	764	950	95	730	1/2"	1723	870	1843,00	2304,00
	20	20	764	1000	95	730	1/2"	1814	916	1940,00	2425,00
	21	21	764	1050	95	730	1/2"	1905	962	2036,00	2545,00
	22	22	764	1100	95	730	1/2"	1995	1008	2133,00	2667,00
	23	23	764	1150	95	730	1/2"	2086	1053	2230,00	2788,00
	24	24	764	1200	95	730	1/2"	2177	1099	2328,00	2910,00
ANTEPRIMA 800	6	AN08001006	834	300	95	800	1/2"	589	298	602,00	753,00
	7	07	834	350	95	800	1/2"	687	347	701,00	877,00
	8	08	834	400	95	800	1/2"	786	397	802,00	1003,00
	9	09	834	450	95	800	1/2"	884	446	902,00	1128,00
	10	10	834	500	95	800	1/2"	982	496	1002,00	1253,00
	11	11	834	550	95	800	1/2"	1080	546	1103,00	1379,00
	12	12	834	600	95	800	1/2"	1178	595	1203,00	1504,00
	13	13	834	650	95	800	1/2"	1277	645	1302,00	1628,00
	14	14	834	700	95	800	1/2"	1375	694	1403,00	1754,00
	15	15	834	750	95	800	1/2"	1473	744	1503,00	1879,00
	16	16	834	800	95	800	1/2"	1571	794	1604,00	2005,00
	17	17	834	850	95	800	1/2"	1669	843	1704,00	2130,00
	18	18	834	900	95	800	1/2"	1768	893	1804,00	2255,00
	19	19	834	950	95	800	1/2"	1866	942	1903,00	2379,00
	20	20	834	1000	95	800	1/2"	1964	992	2004,00	2505,00
	21	21	834	1050	95	800	1/2"	2062	1042	2104,00	2630,00
	22	22	834	1100	95	800	1/2"	2160	1091	2205,00	2757,00
	23	23	834	1150	95	800	1/2"	2259	1141	2305,00	2882,00
	24	24	834	1200	95	800	1/2"	2357	1190	2405,00	3007,00
ANTEPRIMA 813	6	AN08131006	847	300	95	813	1/2"	598	302	628,00	785,00
	7	07	847	350	95	813	1/2"	697	353	732,00	915,00
	8	08	847	400	95	813	1/2"	797	403	836,00	1045,00
	9	09	847	450	95	813	1/2"	896	454	940,00	1175,00
	10	10	847	500	95	813	1/2"	996	504	1045,00	1307,00
	11	11	847	550	95	813	1/2"	1096	554	1151,00	1439,00
	12	12	847	600	95	813	1/2"	1195	605	1253,00	1567,00
	13	13	847	650	95	813	1/2"	1295	655	1359,00	1699,00
	14	14	847	700	95	813	1/2"	1394	706	1464,00	1830,00
	15	15	847	750	95	813	1/2"	1494	756	1568,00	1960,00
	16	16	847	800	95	813	1/2"	1594	806	1672,00	2090,00
	17	17	847	850	95	813	1/2"	1693	857	1776,00	2220,00
	18	18	847	900	95	813	1/2"	1793	907	1881,00	2352,00
	19	19	847	950	95	813	1/2"	1892	958	1986,00	2483,00
	20	20	847	1000	95	813	1/2"	1992	1008	2090,00	2613,00
	21	21	847	1050	95	813	1/2"	2092	1058	2195,00	2744,00
	22	22	847	1100	95	813	1/2"	2191	1109	2299,00	2874,00
	23	23	847	1150	95	813	1/2"	2291	1159	2405,00	3007,00
	24	24	847	1200	95	813	1/2"	2390	1210	2509,00	3137,00



radiator model	n. of sections	CODE* white colour	dimensions mm: overall height	width	depth	pipe centres	Ø connections	heat output EN 442 Watt: ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR: white RAL 9010 Euro	special colours** Euro
ANTEPRIMA 900	4	AN09001004	934	200	95	900	1/2"	436	220	453,00	567,00
	5	05	934	250	95	900	1/2"	545	276	566,00	708,00
	6	06	934	300	95	900	1/2"	653	331	680,00	850,00
	7	07	934	350	95	900	1/2"	762	386	792,00	990,00
	8	08	934	400	95	900	1/2"	871	441	906,00	1133,00
	9	09	934	450	95	900	1/2"	980	496	1019,00	1274,00
	10	10	934	500	95	900	1/2"	1089	551	1132,00	1415,00
	11	11	934	550	95	900	1/2"	1198	606	1245,00	1557,00
	12	12	934	600	95	900	1/2"	1307	661	1358,00	1698,00
	13	13	934	650	95	900	1/2"	1416	716	1471,00	1839,00
	14	14	934	700	95	900	1/2"	1525	771	1585,00	1982,00
	15	15	934	750	95	900	1/2"	1634	827	1697,00	2122,00
	16	16	934	800	95	900	1/2"	1742	882	1811,00	2264,00
	17	17	934	850	95	900	1/2"	1851	937	1924,00	2405,00
	18	18	934	900	95	900	1/2"	1960	992	2036,00	2545,00
	19	19	934	950	95	900	1/2"	2069	1047	2150,00	2688,00
	20	20	934	1000	95	900	1/2"	2178	1102	2263,00	2829,00
	21	21	934	1050	95	900	1/2"	2287	1157	2376,00	2970,00
	22	22	934	1100	95	900	1/2"	2396	1212	2489,00	3112,00
	23	23	934	1150	95	900	1/2"	2505	1267	2602,00	3253,00
	24	24	934	1200	95	900	1/2"	2614	1322	2716,00	3395,00
ANTEPRIMA 1000	4	AN10001004	1034	200	95	1000	1/2"	478	240	496,00	620,00
	5	05	1034	250	95	1000	1/2"	597	301	619,00	774,00
	6	06	1034	300	95	1000	1/2"	716	361	744,00	930,00
	7	07	1034	350	95	1000	1/2"	836	421	868,00	1085,00
	8	08	1034	400	95	1000	1/2"	955	481	992,00	1240,00
	9	09	1034	450	95	1000	1/2"	1075	541	1115,00	1394,00
	10	10	1034	500	95	1000	1/2"	1194	601	1239,00	1549,00
	11	11	1034	550	95	1000	1/2"	1313	661	1363,00	1704,00
	12	12	1034	600	95	1000	1/2"	1433	721	1488,00	1860,00
	13	13	1034	650	95	1000	1/2"	1552	781	1611,00	2014,00
	14	14	1034	700	95	1000	1/2"	1672	841	1736,00	2170,00
	15	15	1034	750	95	1000	1/2"	1791	902	1858,00	2323,00
	16	16	1034	800	95	1000	1/2"	1910	962	1982,00	2478,00
	17	17	1034	850	95	1000	1/2"	2030	1022	2106,00	2633,00
	18	18	1034	900	95	1000	1/2"	2149	1082	2230,00	2788,00
	19	19	1034	950	95	1000	1/2"	2269	1142	2355,00	2944,00
	20	20	1034	1000	95	1000	1/2"	2388	1202	2478,00	3098,00
	21	21	1034	1050	95	1000	1/2"	2507	1262	2602,00	3253,00
	22	22	1034	1100	95	1000	1/2"	2627	1322	2725,00	3407,00
	23	23	1034	1150	95	1000	1/2"	2746	1382	2851,00	3564,00
	24	24	1034	1200	95	1000	1/2"	2866	1442	2974,00	3718,00
ANTEPRIMA 1200	4	AN12001004	1234	200	95	1200	1/2"	560	279	561,00	702,00
	5	05	1234	250	95	1200	1/2"	700	349	700,00	875,00
	6	06	1234	300	95	1200	1/2"	839	418	841,00	1052,00
	7	07	1234	350	95	1200	1/2"	979	488	980,00	1225,00
	8	08	1234	400	95	1200	1/2"	1119	558	1132,00	1415,00
	9	09	1234	450	95	1200	1/2"	1259	627	1262,00	1578,00
	10	10	1234	500	95	1200	1/2"	1399	697	1401,00	1752,00
	11	11	1234	550	95	1200	1/2"	1539	767	1541,00	1927,00
	12	12	1234	600	95	1200	1/2"	1679	836	1681,00	2102,00
	13	13	1234	650	95	1200	1/2"	1819	906	1820,00	2275,00
	14	14	1234	700	95	1200	1/2"	1959	976	1961,00	2452,00
	15	15	1234	750	95	1200	1/2"	2099	1046	2101,00	2627,00
	16	16	1234	800	95	1200	1/2"	2238	1115	2241,00	2802,00



radiator model	n. of sections	CODE* white colour	dimensions mm: overall height	dimensions mm: width	dimensions mm: depth	pipe centres	Ø connections	heat output EN 442 Watt: ΔT 50°C	heat output EN 442 Watt: ΔT 30°C	PRICE PER RADIATOR: white RAL 9010 Euro	PRICE PER RADIATOR: special colours** Euro
ANTEPRIMA 1400	4	AN14001004	1434	200	95	1400	1/2"	640	315	620,00	775,00
	5	05	1434	250	95	1400	1/2"	800	394	776,00	970,00
	6	06	1434	300	95	1400	1/2"	960	473	930,00	1163,00
	7	07	1434	350	95	1400	1/2"	1120	552	1087,00	1359,00
	8	08	1434	400	95	1400	1/2"	1280	630	1241,00	1552,00
	9	09	1434	450	95	1400	1/2"	1440	709	1396,00	1745,00
	10	10	1434	500	95	1400	1/2"	1600	788	1551,00	1939,00
	11	11	1434	550	95	1400	1/2"	1760	867	1707,00	2134,00
	12	12	1434	600	95	1400	1/2"	1920	946	1862,00	2328,00
	13	13	1434	650	95	1400	1/2"	2080	1024	2017,00	2522,00
	14	14	1434	700	95	1400	1/2"	2240	1103	2172,00	2715,00
	15	15	1434	750	95	1400	1/2"	2400	1182	2328,00	2910,00
	16	16	1434	800	95	1400	1/2"	2560	1261	2481,00	3102,00
ANTEPRIMA 1600	4	AN16001004	1634	200	95	1600	1/2"	718	355	675,00	844,00
	5	05	1634	250	95	1600	1/2"	898	444	844,00	1055,00
	6	06	1634	300	95	1600	1/2"	1077	532	1014,00	1268,00
	7	07	1634	350	95	1600	1/2"	1257	621	1182,00	1478,00
	8	08	1634	400	95	1600	1/2"	1436	710	1350,00	1688,00
	9	09	1634	450	95	1600	1/2"	1616	798	1519,00	1899,00
	10	10	1634	500	95	1600	1/2"	1795	887	1687,00	2109,00
	11	11	1634	550	95	1600	1/2"	1975	976	1857,00	2322,00
	12	12	1634	600	95	1600	1/2"	2154	1064	2025,00	2532,00
	13	13	1634	650	95	1600	1/2"	2334	1153	2194,00	2743,00
	14	14	1634	700	95	1600	1/2"	2513	1242	2362,00	2953,00
	15	15	1634	750	95	1600	1/2"	2693	1331	2532,00	3165,00
	16	16	1634	800	95	1600	1/2"	2872	1419	2699,00	3374,00
ANTEPRIMA 1735	4	AN17351004	1769	200	95	1735	1/2"	770	381	742,00	928,00
	5	05	1769	250	95	1735	1/2"	962	476	927,00	1159,00
	6	06	1769	300	95	1735	1/2"	1154	571	1112,00	1390,00
	7	07	1769	350	95	1735	1/2"	1347	666	1298,00	1623,00
	8	08	1769	400	95	1735	1/2"	1539	762	1482,00	1853,00
	9	09	1769	450	95	1735	1/2"	1732	857	1668,00	2085,00
	10	10	1769	500	95	1735	1/2"	1924	952	1854,00	2318,00
	11	11	1769	550	95	1735	1/2"	2116	1047	2038,00	2548,00
	12	12	1769	600	95	1735	1/2"	2309	1142	2223,00	2779,00
	13	13	1769	650	95	1735	1/2"	2501	1238	2409,00	3012,00
	14	14	1769	700	95	1735	1/2"	2694	1333	2595,00	3244,00
	15	15	1769	750	95	1735	1/2"	2886	1428	2779,00	3474,00
	16	16	1769	800	95	1735	1/2"	3078	1523	2965,00	3707,00



radiator model	n. of sections	CODE* white colour	dimensions mm overall height	width	depth	pipe centres	Ø connec-tions	heat output EN 442 Watt ΔT 50°C	ΔT 30°C	PRICE PER RADIATOR white RAL 9010 Euro	special colours** Euro
ANTEPRIMA 1800	4	**AN18001004**	1834	200	95	1800	1/2”	**794**	393	**761,00**	952,00
	5	**05**	1834	250	95	1800	1/2”	**993**	492	**950,00**	1188,00
	6	**06**	1834	300	95	1800	1/2”	**1191**	590	**1139,00**	1424,00
	7	**07**	1834	350	95	1800	1/2”	**1390**	688	**1330,00**	1663,00
	8	**08**	1834	400	95	1800	1/2”	**1588**	786	**1519,00**	1899,00
	9	**09**	1834	450	95	1800	1/2”	**1787**	885	**1709,00**	2137,00
	10	**10**	1834	500	95	1800	1/2”	**1985**	983	**1899,00**	2374,00
	11	**11**	1834	550	95	1800	1/2”	**2184**	1081	**2088,00**	2610,00
	12	**12**	1834	600	95	1800	1/2”	**2382**	1180	**2278,00**	2848,00
	13	**13**	1834	650	95	1800	1/2”	**2581**	1278	**2468,00**	3085,00
	14	**14**	1834	700	95	1800	1/2”	**2779**	1376	**2658,00**	3323,00
	15	**15**	1834	750	95	1800	1/2”	**2978**	1475	**2848,00**	3560,00
	16	**16**	1834	800	95	1800	1/2”	**3176**	1573	**3037,00**	3797,00
ANTEPRIMA 2000	4	**AN20001004**	2034	200	95	2000	1/2”	**868**	431	**802,00**	1003,00
	5	**05**	2034	250	95	2000	1/2”	**1086**	539	**1002,00**	1253,00
	6	**06**	2034	300	95	2000	1/2”	**1303**	647	**1203,00**	1504,00
	7	**07**	2034	350	95	2000	1/2”	**1520**	755	**1403,00**	1754,00
	8	**08**	2034	400	95	2000	1/2”	**1737**	862	**1604,00**	2005,00
	9	**09**	2034	450	95	2000	1/2”	**1954**	970	**1804,00**	2255,00
	10	**10**	2034	500	95	2000	1/2”	**2171**	1078	**2004,00**	2505,00
	11	**11**	2034	550	95	2000	1/2”	**2388**	1186	**2205,00**	2757,00
	12	**12**	2034	600	95	2000	1/2”	**2605**	1294	**2405,00**	3007,00
	13	**13**	2034	650	95	2000	1/2”	**2822**	1401	**2605,00**	3257,00
	14	**14**	2034	700	95	2000	1/2”	**3039**	1509	**2806,00**	3508,00
	15	**15**	2034	750	95	2000	1/2”	**3257**	1617	**3006,00**	3758,00
	16	**16**	2034	800	95	2000	1/2”	**3474**	1725	**3206,00**	4008,00

accessories included for Anteprima

n. 2/3 art. A260 brackets matched to the colours of the radiators
art. A011 1/2” white or special colours plug
n. 1 art. A041 1/2” white or special colours manual air vent valve

- Grids and hole plugs are supplied in the same colour as the radiator.
- Chrome grids and hole plugs are supplied on request; free of charge for coloured radiators, at an extra charge for white radiators according to the price list.
- Tonale radiators can also be fitted with a bottom connection (50 mm pipe centres), for underfloor pipes (G-H-iw-i-iz-L-M configurations) at a charge of € 12,00 net each radiator.

universal accessories	packaging	PRICE EURO
 Art. A001 galvanized straight bracket	100 pcs.	1,35 cad.
 Art. A003 galvanized screw-on angle bracket	100 pcs.	1,63 cad.
 Art. A004 white plastic angle bracket	100 pcs.	3,05 cad.
 Art. A025 170 mm with expansion plug white brackets (pair)	50 pairs	3,80
Art. A025 170 mm with expansion plug special colours brackets (pair)	1 pairs	6,70
Art. A026 195 mm with expansion plug for double panel radiators and Ekos130 white brackets (pair)	50 pairs	4,20
Art. A026 195 mm with expansion plug for double panel radiators and Ekos130 special colours brackets (pair)	1 pairs	6,90
 Art. A027 white universal brackets, can also be used for plasterboard - blister pack (pair)	100 pairs	10,80
Art. A027 special colours universal brackets, can also be used for plasterboard - blister pack (pair)	1 pairs	15,70
Art. A014 white long universal brackets for Ekos 130, can also be used for plasterboard - blister pack (pair)	100 pairs	12,80
Art. A014 special colours long universal brackets for Ekos 130, can also be used for plasterboard blister pack (pair)	1 pairs	17,80
 Art. A029 square brackets white - blister pack (pair)	20 pairs	8,80
 Art. A030 wall brackets for Junior - white (pair)	1 pairs	20,00
Art. A030 wall brackets for Junior - special colours (pair)	1 pairs	36,70
 Art. A031 wall brackets for Vetta - white (pair)	1 pairs	15,80
Art. A031 wall brackets for Vetta - special colours (pair)	1 pairs	46,20
 WALL BRACKET		
Art. A033 mm 800	1 pairs	54,60
Art. A034 mm 700	1 pairs	49,00
Art. A035 mm 600	1 pairs	42,00
Art. A036 mm 500	1 pairs	37,50
Art. A037 mm 350	1 pairs	34,70

PRICE PER PAIRS

	packaging	PRICE EURO



Art. A015 white floor fixing system	2 pcs.	61,00 each



Art. A005 1" blind plug or reducer white	20 pcs.	1,73 each
Art. A006 1" blind plug or reducer galvanized	100 pcs.	1,42 each
Art. A020 1" blind plug or reducer white, with silicone gasket	20 pcs.	1,95 each
Art. A020 1" blind plug or reducer special colours, with silicone gasket	1 pcs.	2,65 each
Art. A089 1" blind plug or reducer white, with silicone gasket for 900 to 2000 mm radiators	1 pcs.	2,05 each
Art. A089 1" blind plug or reducer special colours, with silicone gasket for 900 to 2000 mm radiators	1 pcs.	3,15 each





Art. A011 1/2" white blind plug	1 pcs.	2,20 each
Art. A011 1/2" chrome blind plug	1 pcs.	4,70 each
Art. A011 1/2" special colours blind plug	1 pcs.	5,25 each



REDUCER KIT WITH SILICONE GASKETS AND VALVE WITH HANDWHEEL

Art. A190 3/8" for 200/D radiators - 800 mm - white	1 pcs.	12,60 each
Art. A191 3/8" for 900 to 2000 mm radiators and Junior - white	1 pcs.	16,20 each
Art. A192 1/2" for 200/D radiators - 800 mm - white	1 pcs.	13,20 each
Art. A193 1/2" for 900 to 2000 mm radiators and Junior - white	1 pcs.	17,20 each



REDUCER KIT WITH SILICONE GASKETS AND ADJUSTABLE VALVE

Art. A043 3/8" for 200/D radiators - 800 mm - white	20 pcs.	11,50 each
Art. A043 3/8" for 200/D radiators - 800 mm - chrome	1 pcs.	31,50 each
Art. A044 3/8" for 900 to 2000 mm radiators and Junior - white	20 pcs.	16,00 each
Art. A044 3/8" for 900 to 2000 mm radiators and Junior - chrome	1 pcs.	34,30 each
Art. A046 1/2" for 200/D radiators - 800 mm - white	20 pcs.	11,50 each
Art. A046 1/2" for 200/D radiators - 800 mm - chrome	1 pcs.	31,50 each
Art. A046 1/2" for 200/D radiators - 800 mm - special colours	1 pcs.	31,50 each
Art. A047 1/2" for 900 to 2000 mm radiators and Junior - white	20 pcs.	16,00 each
Art. A047 1/2" for 900 to 2000 mm radiators and Junior - chrome	1 pcs.	34,30 each
Art. A047 1/2" for 900 to 2000 mm radiators and Junior - special colours	1 pcs.	34,30 each
Art. A048 3/4" for 200/D radiators - 800 mm - white	20 pcs.	15,80 each
Art. A048 3/4" for 200/D radiators - 800 mm - chrome	1 pcs.	38,30 each
Art. A049 3/4" for 900 to 2000 mm radiators and Junior - white	20 pcs.	19,00 each
Art. A049 3/4" for 900 to 2000 mm radiators and Junior - chrome	1 pcs.	37,80 each

universal accessories	packaging	PRICE EURO
		
Art. A007 1″ plug gasket - 1,50 mm	100 pcs.	0,34 each
Art. A008 1″ nipple gasket - 1,00 mm	100 pcs.	0,32 each
Art. A021 silicone gasket for plugs and reducers	100 pcs.	0,54 each
Art. A088 silicone gasket for plugs and reducers for 900 to 2000 mm radiator	10 pcs.	0,54 each
		
Art. A024 "O-ring" for Oscar, Oscar Tondo, Ekos Plus, Junior	10 pcs.	0,90 each
		
Art. A022 diverter for Oscar, Oscar Tondo, Ekos Plus	1 pcs.	6,30 each
		
Art. A023 1″ nipples 30 mm for Oscar, Oscar Tondo, Ekos Plus	50 pcs.	0,90 each
Art. A009 1″ nipples	100 pcs.	0,78 each
		
Art. A012 1/8″ manual air vent valve	50 pcs.	7,40 each
Art. A039 1/4″ manual air vent valve	50 pcs.	7,40 each
Art. A040 3/8″ manual air vent valve	50 pcs.	6,00 each
Art. A050 1/2″ manual air vent valve	50 pcs.	6,20 each
		
Art. A041 1/2″ adjustable manual air vent valve - white	1 pcs.	3,40 each
		
Art. A041 1/2″ adjustable manual air vent valve - chrome	1 pcs.	6,80 each
Art. A041 1/2″ adjustable manual air vent valve - special colour	1 pcs.	8,40 each
		
Art. A042 1/2″ automatic air vent valve - chrome	1 pcs.	19,00 each
		
Art. A013 1″ float type air vent valve - right or left	1 pcs.	15,00 each

universal accessories	packaging	PRICE EURO
 Art. A019 plug wrench	5 pcs.	11,00 each
 Art. A079 hex key with lever	1 pcs.	34,00 each
Art. A080 hex key 500 mm	1 pcs.	27,70 each
Art. A081 hex key 800 mm	1 pcs.	32,20 each
 Art. A018 Cillit HS Combi liquid	1 Kg	170,00 each
 Art. A010 RAL 9010 white spray can	12 pcs.	18,00 each
Art. A010 special colour spray can	1 pcs.	25,00 each
 Art. A017 RAL 9010 white marker	6 pcs.	18,00 each



specific accessories

	packaging	PRICE EURO
		
Art. A061 for Oscar 1000 - RAL 9010 white	2 pcs.	95,00 each
Art. A062 for Oscar 1200 - RAL 9010 white	2 pcs.	97,00 each
Art. A063 for Oscar 1400 - RAL 9010 white	2 pcs.	99,00 each
Art. A064 for Oscar 1600 - RAL 9010 white	2 pcs.	105,00 each
Art. A065 for Oscar 1800 - RAL 9010 white	2 pcs.	110,00 each
Art. A066 for Oscar 2000 - RAL 9010 white	2 pcs.	132,00 each
Art. A071 for Vip 350 - RAL 9010 white	2 pcs.	60,00 each
Art. A072 for Vip 500 - RAL 9010 white	2 pcs.	67,00 each
Art. A073 for Vip 600 - RAL 9010 white	2 pcs.	85,00 each
Art. A074 for Vip 700 - RAL 9010 white	2 pcs.	88,00 each
Art. A075 for Vip 800 - RAL 9010 white	2 pcs.	93,00 each
		
Art. A237 white handy grip for radiators 800 - 350, Oscar, Oscar Tondo	1 pcs.	29,00 each
Art. A238 chrome handy grip for radiators 800 - 350, Oscar, Oscar Tondo	1 pcs.	35,00 each
Art. A242 white handy grip for Vetta towel warmers	1 pcs.	27,70 each
Art. A243 chrome handy grip for Vetta towel warmers	1 pcs.	34,60 each
Art. A249 white handy grip for Ekos, Ekos Plus	1 pcs.	25,60 each
Art. A250 chrome handy grip for Ekos, Ekos Plus	1 pcs.	27,70 each
		
TOWEL RAILS		
Art. A201 for radiators 800 - 350, Oscar, Oscar Tondo - 48 cm white	1 pcs.	72,20 each
Art. A202 for radiators 800 - 350, Oscar, Oscar Tondo - 48 cm chrome	1 pcs.	81,80 each
Art. A207 for radiators 800 - 350, Oscar, Oscar Tondo - 32 cm white	1 pcs.	72,00 each
Art. A208 for radiators 800 - 350, Oscar, Oscar Tondo - 32 cm chrome	1 pcs.	78,00 each
Art. A225 for Ekos, Ekos Plus - 45 cm white	1 pcs.	73,70 each
Art. A226 for Ekos, Ekos Plus - 45 cm chrome	1 pcs.	77,40 each
Art. A231 for Ekos, Ekos Plus - 30 cm white	1 pcs.	72,00 each
Art. A232 for Ekos, Ekos Plus - 30 cm chrome	1 pcs.	78,00 each

specific accessories for radiators with underfloor pipes

	packaging	PRICE EURO
		
Art. A331 1" right plug with rubber blind diverter	1 pcs.	19,00 each
		
Art. A332 1" left plug with rubber blind diverter	1 pcs.	19,00 each
		
Art. A337 1/2" right reducer with rubber perforated diverter	1 pcs.	19,00 each
		
Art. A338 1/2" left reducer with rubber perforated diverter	1 pcs.	19,00 each
		
Art. A343 headwork for thermostatic valve	1 pcs.	26,20 each
		
Art. A346 white manual knob	1 pcs.	11,50 each
		
Art. A349 thermostatic valve	1 pcs.	33,60 each
		
Art. A350 3/4" - 1/2" cone seat reducer	1 pcs.	5,80 each
Art. A351 3/4" - 1/2" flat seat reducer	1 pcs.	5,80 each

specific **SEBINO** model accessories

	packaging	PRICE EURO
		
Art. A051 white bracket for Sebino	1 pcs.	10,20 each
Art. A051 special colours bracket for Sebino	1 pcs.	13,20 each
		
Art. A052 diverter for Sebino/Tonale/Anteprima	1 pcs.	4,40 each
		
Art. A053 white centre grid for Sebino	1 pcs.	2,90 each
Art. A053 chrome or special colours centre grid for Sebino	1 pcs.	11,00 each
		
Art. A054 white side grid for Sebino	1 pcs.	2,90 each
Art. A054 chrome or special colours side grid for Sebino	1 pcs.	11,00 each
		
Art. A055 white side hole plug for Sebino	1 pcs.	1,30 each
Art. A055 chrome or special colours side hole plug for Sebino	1 pcs.	4,20 each
		
U-SHAPED TOWEL RAILS		
Art. A210 for Sebino - white 4 sections	1 pcs.	96,00 each
Art. A211 for Sebino - white 6 sections	1 pcs.	105,00 each
Art. A212 for Sebino - white 8 sections	1 pcs.	111,00 each
Art. A213 for Sebino - white 10 sections	1 pcs.	120,00 each
Art. A216 for Sebino - special colours 4 sections	1 pcs.	108,00 each
Art. A217 for Sebino - special colours 6 sections	1 pcs.	115,00 each
Art. A218 for Sebino - special colours 8 sections	1 pcs.	122,00 each
Art. A219 for Sebino - special colours 10 sections	1 pcs.	133,00 each
		
L-SHAPED TOWEL RAILS		
Art. A228 for Sebino - white	1 pcs.	86,00 each
Art. A228 for Sebino - special colours	1 pcs.	95,00 each
		
CHROME TOWEL RAILS		
Art. A233 for Sebino 4 sections	1 pcs.	172,00 each
Art. A234 for Sebino 6 sections	1 pcs.	180,00 each
Art. A235 for Sebino 8 sections	1 pcs.	186,00 each
		
HANDY HOOK GRIP		
Art. A245 white	1 pcs.	50,00 each
Art. A245 chrome	1 pcs.	53,00 each
Art. A245 special colours	1 pcs.	55,00 each
		
CHROME ROUND HANDY GRIP		
Art. A248	1 pcs.	63,00 each

specific **TONALE** model accessories

	packaging	PRICE EURO
		
Art. A260 white bracket for Tonale/Anteprima	1 pcs.	10,20 each
Art. A260 special colours bracket for Tonale/Anteprima	1 pcs.	13,20 each
		
Art. A052 diverter for Tonale/Sebino/Anteprima	1 pcs.	4,40 each.
		
Art. A262 white grid for Tonale	1 pcs.	2,90 each
Art. A262 chrome or special colours grid for Tonale	1 pcs.	11,00 each
		
L-SHAPED TOWEL RAILS		
Art. A263 mm 300 white for Tonale (recommended up to 6 sections)	1 pcs.	160,00 each
Art. A263 mm 300 special colours for Tonale (recommended up to 6 sections)	1 pcs.	165,00 each
Art. A264 mm 400 white for Tonale (recommended over 8 sections)	1 pcs.	160,00 each
Art. A264 mm 400 special colours for Tonale (recommended over 8 sections)	1 pcs.	165,00 each
		
HANDY HOOK GRIP		
Art. A265 white for Tonale/Anteprima	1 pcs.	70,00 each
Art. A265 special colours for Tonale/Anteprima	1 pcs.	75,00 each

specific **ANTEPRIMA** model accessories

	packaging	PRICE EURO
		
Art. A260 white bracket for Anteprima/Tonale	1 pcs.	10,20 each
Art. A260 special colours bracket for Anteprima/Tonale	1 pcs.	13,20 each
		
Art. A052 diverter for Anteprima/Sebino/Tonale	1 pcs.	4,40 each
		
Art. A268 white grid for Anteprima	1 pcs.	2,90 each
Art. A268 chrome or special colours grid for Anteprima	1 pcs.	11,00 each
		
L-SHAPED TOWEL RAILS		
Art. A266 white for Anteprima mm 300 (recommended up to 6 sections)	1 pcs.	160,00 each
Art. A266 special colours forAnteprima mm 300 (recommended up to 6 sections)	1 pcs.	165,00 each
Art. A267 white for Anteprima mm 400 (recommended over 8 sections)	1 pcs.	160,00 each
Art. A267 special colours for Anteprima mm 400 (recommended over 8 sections)	1 pcs.	165,00 each
		
HANDY HOOK GRIP		
Art. A265 white for Anteprima/Tonale	1 pcs.	70,00 each
Art. A265 special colours for Anteprima/Tonale	1 pcs.	75,00 each



Art. A400
VALVE AND STRAIGHT LOCKSHIELD WITH RING NUTS
no. 1 1/2" straight thermostatic valve with pre-setting 1-7; fitting for copper/multilayer pipe
no. 1 1/2" straight lockshield with fitting for copper/multilayer pipe
no. 2 Eurocone ring nuts, chrome-plated/painted as the valve body
no. 1 high tech cloth for Eurocone ring nut tightening
no. 1 instructions for installation leaflet
100% brass valves; chrome-plated/painted

CHROME	COLOUR
€ 147,00	€ 220,00



Art. A401
VALVE AND ANGLE LOCKSHIELD WITH RING NUTS
no. 1 1/2" angle thermostatic valve with pre-setting 1-7; fitting for copper/multilayer pipe
no. 1 1/2" angle lockshield with fitting for copper/multilayer pipe
no. 2 Eurocone ring nuts, chrome-plated/painted as the valve body
no. 1 high tech cloth for Eurocone ring nut tightening
no. 1 instructions for installation leaflet
100% brass valves; chrome-plated/painted

CHROME	COLOUR
€ 141,00	€ 215,00



Art. A402
CORNER VALVES - RIGHT-HAND AND LOCKSHIELD - LEFT-HAND WITH RING NUTS
no. 1 1/2" coaxial thermostatic valve - right-hand with pre-setting 1-7; fitting for copper/multilayer pipe
no. 1 1/2" coaxial lockshield - left-hand with fitting for copper/multilayer pipe
no. 2 Eurocone ring nuts, chrome-plated/painted as the valve body
no. 1 high tech cloth for Eurocone ring nut tightening
no. 1 instructions for installation leaflet
100% brass valves; chrome-plated/painted

CHROME	COLOUR
€ 215,00	€ 331,00



Art. A403
CORNER VALVES - LEFT-HAND AND LOCKSHIELD - RIGHT-HAND WITH RING NUTS
no. 1 1/2" coaxial thermostatic valve - left-hand with pre-setting 1-7; fitting for copper/multilayer pipe
no. 1 1/2" coaxial lockshield - right-hand with fitting for copper/multilayer pipe
no. 2 Eurocone ring nuts, chrome-plated/painted as the valve body
no. 1 high tech cloth for Eurocone ring nut tightening
no. 1 instructions for installation leaflet
100% brass valves; chrome-plated/painted

CHROME	COLOUR
€ 215,00	€ 331,00



Art. A404
VALVE - FITTING 50 SINGLE/DOUBLE PIPE WITH RING NUTS
no. 1 1 /2" thermostatic valve can be fitted on either right or left-hand with pre-setting 1-7; by-pass; fitting for copper/multilayer pipe; pipe centres 50 mm wall side and 50 mm radiator side
no. 2 Eurocone ring nuts, chrome-plated/painted as the valve body
no. 1 high tech cloth for Eurocone ring nut tightening
no. 1 instructions for installation leaflet
100% brass valves; chrome-plated/painted

CHROME	COLOUR
€ 315,00	€ 483,00



Art. A405
VALVE FITTING 50/80 SINGLE/DUAL PIPE WITH RING NUTS
no. 1 1 /2" thermostatic valve can be fitted on either right or left-hand with pre-setting 1-7; by-pass; fitting for copper/multilayer pipe; pipe centres 50 mm, wall side and 80 mm, radiator side
no. 2 Eurocone ring nuts, chrome-plated/painted as the valve body
no. 1 high tech cloth for Eurocone ring nut tightening
no. 1 instructions for installation leaflet
100% brass valves; chrome-plated/painted

CHROME	COLOUR
€ 389,00	€ 578,00



Art. A407
VALVE AND STRAIGHT LOCKSHIELD WITH RING NUTS
no. 1 1/2" straight thermostatic valve with pre-setting 1-7; fitting for copper/multilayer pipe
no. 1 1/2" straight lockshield with fitting for copper/multilayer pipe
no. 2 Eurocone ring nuts, chrome-plated/painted as the valve body
no. 2 aesthetic covers
no. 1 high tech cloth for Eurocone ring nut tightening
no. 1 instructions for installation leaflet

CHROME	WHITE
€ 95,00	€ 90,00



Art. A406
THERMOSTATIC VALVE M30x1.5
no. 1 thermostatic valve with liquid sensor; value range: 7-28°C; thread 30x1,5mm

CHROME	COLOUR
€ 84,00	€ 122,00

VALVES FOR RADIATORS

price/**each.**



COMPRESSION FITTING FOR COPPER PIPE
Art. A408 copper pipe Ø 12 mm € 4,50
Art. A409 copper pipe Ø 14 mm € 4,50
Art. A410 copper pipe Ø 16 mm € 4,50



COMPRESSION FITTING FOR COPPER PIPE
Art. A430 Eurocone adapter for copper pipe Ø 18 mm

CHROME € 21,00 COLOUR € 32,50



COMPRESSION FITTING FOR MULTILAYER PIPE
Art. A420 multilayer pipe 14x2 mm € 11,50
Art. A421 multilayer pipe 16x2 mm € 11,50



COMPRESSION FITTING FOR MULTILAYER PIPE
Art. A431 multilayer pipe 18x2 mm
Art. A432 multilayer pipe 20x2 mm

CROMO € 21,00 COLOUR € 34,60



Art. A446
PLASTIC SNAP-ON PIPE COVER Ø 16 mm
lenght 160 mm (can be split into two halves)
(suggested combination art. A445)

CHROME € 31,50 COLOUR € 47,20



PIPE COVER Ø 45 mm
Art. A441 pipe Ø 12,0 mm
Art. A442 pipe Ø 14,0 mm
Art. A443 pipe Ø 16,0 mm
Art. A444 pipe Ø 18,0 mm
Art. A445 pipe Ø 20,5 mm

CHROME € 7,40 COLOUR € 9,50

HOW TO USE CODES FOR ORDERING

A400 article code	10 colour code	A408 fitting code	A446 pipe cover	A445 pipe cover	A406 thermostatic valve

REQUIRED PARTS **RECOMMENDED PARTS**

Example **A400-10-A408-A446-A445-A406**: **A400** straight lockshield valve with ring nuts; **10** white colour; **A408** fitting for copper pipe Ø 12 mm; A446 pipe cover; A445 pipe cover; A406 thermostatic valve
When ordering valves, please specify the Code according to the Colour Card (ref. table below)

COLORS

cod. 10 - RAL 9010
white glossy

cod. 12 white
matt

cod. 11 - RAL 9016
white sand

cod. 01 - RAL 1013
ivory glossy

cod. 08 silver grey
metallic sand

cod. 15 ascot grey
sand

cod. 99
chrome glossy

cod. 17 - RAL 7034
undergrowt sand

cod. 18 - RAL 6013
olive sand

cod. 16 gold true joy

cod. 06 quartz
metallic sand

cod. 05 beige
metallic sand

The colours are indicative. For technical printing reasons, it is no possible to faithfully reproduce the paints used. The colour of the products supplied may differ from that shown in this catalogue.

cod. 20 antique pink
sand

cod. 09 corten/rust
sand

cod. 19 - RAL 8019
dark chocolate sand

cod. 07 dark grey
metallic sand

cod. 14 - RAL 9004
black matt

WARRANTY

Global warrants that the Products will be free from defects in materials or workmanship. The warranty is valid on the condition that the installation and the system to which the Product is connected are performed by (1) qualified/eligible personnel, (2) to top workmanship standards, (3) in compliance with the regulations and requirements of the sector in force, (4) in full compliance with the Instructions for Installation provided and included in the Product's packaging. Failure to comply with all standards (1) (2) (3) (4) during installation of the Products will void the warranty.
Global warrants the Products for a period of 12 (twelve) months from the date of delivery. Any defects found must be reported in writing within 8 (eight) days from their detection, in any case within the warranty duration period, indicating the faulty part or component of the Product, providing photographic documentation and a description of the failure.
Global's obligation under this warranty shall be limited to the replacement of the Products and/or individual components that are found to be faulty, including the related freight costs free of charge to the retailer. Any further costs and compensation for damages shall be excluded. The warranty shall be governed by the additional terms and conditions set out in the VALVE WARRANTY section on the **globalradiatori.it** website.

HOW TO USE CODES FOR ORDERING

RADIATORS

OST radiator model	0900 overall height	10 colour code	.. number of sections

* example **OST090010..** - **OST** Oscar Tondo; **0900** overall height; **10** white colour; **..** number of sections
** When ordering radiators in special colours, please specify the Code according to the Colour Card (table next page)
For the vertical bottom connection configurations: see our website

TOWEL WARMERS

VE radiator model	0800 overall height	450 pipe centres	10 colour code

* example **VE080045010** - **VE** Vetta; **0800** overall height; **450** pipe centres; **10** white colour
** When ordering radiators in special colours, please specify the Code according to the Colour Card (table next page)

RADIATORS FOR ARCHITECTURE **TONALE**

TO radiator model	0350 pipe centres	10 colour code	06 number of sections	A connection	T front sections

* example **TO03501006AT**:
TO Tonale; **0350** pipe centres; **10** white colour; **06** number of sections; **A** connection; **T** round front sections
** When ordering radiators in special colours, please specify the Code according to the Colour Card (table next page)
The order for the Tonale model **shall always include the specification of the hydraulic connection and the front section configuration**: see diagrams below




T = round front sections
Q = square front sections

RADIATORS FOR ARCHITECTURE **ANTEPRIMA**


AN radiator model	0350 pipe centres	10 colour code	06 number of sections	A connection

* example **AN03501006A**: **AN** Anteprima; **0350** pipe centres; **10** white colour; **06** number of sections; **A** connection
** When ordering radiators in special colours, please specify the Code according to the Colour Card (table next page)
The order for the Anteprima model **shall always include the specification of the hydraulic connection:** see diagram below



* = AIR VENT VALVE
X = DIVERTER
Y = (width tot) - 100 mm


G, H, iw, i, iz, L, M + € 12,00 net



The configuration **-i-** with central connection can be used only with an **odd number of elements**. With an even number of elements, the left **-iw-** or right **-iz-** position, with respect to the intermediate **Y** axis, must be specified as shown in figures 1 - 2




- All fittings are Ø 1/2" right-hand
- In the configurations E-F-G-H-iw-i-iz-L-M the radiators are **supplied already with diverter** (art. A052 included)
- For single-pipe systems, **configuration G-H-iw-i-iz only,** Tonale and Anteprima radiators **shall be installed with appropriate valves** (art. A404 or similar), with 50 mm pipe centres




SE radiator model	0350 pipe centres	10 colour code	06 number of sections	A connection

* example **SE03501006A** - **SE** Sebino; **0350** pipe centres; **10** white colour; **06** number of sections; **A** connection
** When ordering radiators in special colours, please specify the Code according to the Colour Card (footnote table)
The order for the Sebino model **shall always include the specification of the hydraulic connection**: see diagram below



✱ = AIR VENT VALVE
X = DIVERTER
Y = (width tot) - 50 mm


G, H, iw, i, iz, L, M + € 12,00 net



The configuration **-i-** with central connection can be used only with an **odd number of elements**. With an even number of elements, the left **-iw-** or right **-iz-** position, with respect to the intermediate **Y** axis, must be specified as shown in figures 1 - 2



- ☒ All fittings are Ø 1/2" right-hand
- ☒ In the configurations E-F-G-H-iw-i-iz-L-M the radiators are **supplied already with diverter** (art. A052 included)
- ☒ For single-pipe systems, **configuration G-H-iw-i-iz only,** Sebino radiators **shall be installed with appropriate valves** (art. A404 or similar), with 50 mm pipe centres



COLOUR CARD

standard colour

cod. 10
RAL 9010
white glossy

special colours

cod. 12 white
matt

cod. 11 - RAL 9016
white sand

cod. 01 - RAL 1013
ivory glossy

cod. 08 silver grey
metallic sand

cod. 15 ascot grey
sand

cod. 17 - RAL 7034
undergrowt sand

cod. 18 - RAL 6013
olive sand

cod. 16 gold true joy

cod. 06 quartz
metallic sand

cod. 05 beige
metallic sand

cod. 20 antique pink
sand

cod. 09 corten/rust
sand

cod. 19 - RAL 8019
dark chocolate sand

cod. 07 dark grey
metallic sand

cod. 14 - RAL 9004
black matt

The colours are indicative. For technical printing reasons, it is no possible to faithfully reproduce the paints used.
The colour of the products supplied may differ from that shown in this catalogue.

GLOBAL provides a ten-year warranty for its radiators from the date of production

The conventional warranty grants the sole right to free replacement of the radiator which, due to defects originating from defects in material or workmanship, is not fit for purpose or its ordinary intended use. Replacement radiators shall be delivered free of charge to the retailer which sold the original version to the end user or to the its installers.

The warranty is valid on the condition that the installation and the system to which the product is connected are performed by qualified/eligible personnel to top workmanship standards and in compliance with the regulations and requirements of the sector in force; it is also valid on the condition that there has been full compliance with warnings and instructions for proper installation, use and maintenance of the product indicated in the technical documentation under the paragraph entitled instructions for correct installation, use and maintenance, available and downloadable from the TECHNICAL INFO section on the globalradiatori.it website.

In order to exercise the rights arising from this conventional warranty, the presence of faults originating from defects in materials or workmanship must be reported immediately in writing within the warranty duration period by the end user to the subject (retailer or installer) from whom the product was purchased;
it will in turn be forwarded to Global through the same distribution chain involved in the sale of the product which is claimed to be faulty. The claims must include photographic documentation indicating the defect, along with any information useful to explain the circumstances under which the defect was detected. Global shall take all necessary action in order to verify the existence and the nature of the claimed defects and the operational terms and conditions of this warranty. To this purpose, Global shall be guaranteed the opportunity to conduct, also appointing a representative, due inspections on the product and the environment so as to investigate the possible causes of the defect, also requesting the delivery of the product itself to the Global headquarters in Rogno (BG) if necessary. If Global establishes the existence of the defect, the end user shall be entitled to receive a new product under warranty in replacement of the faulty product. The new product shall be delivered to the end user or installer, whereby any additional transport costs to the final destination and the costs for the installation of the new product shall be borne by the client. If the product to be replaced has been “discontinued”, Global shall deliver a substitute or similar product having the same functionalities as the one being replaced. Global shall also be entitled to request the return of the replaced product which will become its own property.

This conventional warranty does not confer any right or claim against Global, of any type and at any level of the distribution chain, to installers, retailers or importers.

The replacement under warranty of the faulty element shall not extend the original expiry date of the warranty, which remains unchanged, nor does it grant the right to a new warranty: the warranty for the replacement element shall remain valid for the residual term of the faulty element.

This warranty only covers the replacement of the faulty product as identified above, with explicit exclusion of any further and different obligation due to Global (such as, for instance, dismantling and installation costs, damage to the plant system to which the radiator is connected). According to this conventional warranty, under no circumstances shall Global be required to incur or refund, on either a contractual or extra-contractual liability basis, any costs or expenses, indemnity or compensation for damages of any nature whatsoever, direct, indirect, incidental or consequential damages, such as, for instance, economic loss, loss of revenue or profits, business activities or goodwill of the subject covered by the warranty or to other third parties.

Global waives all and any liability for any damage caused, directly or indirectly, to persons, animals or things, due to the non-observance of any of the standards, regulations or provisions in force in the territory of installation, and all the instructions provided in the instruction manual and, in particular, all the warnings and recommendations concerning installation, use and maintenance and/or consequent use of the product which does not comply with the diligence required by the nature of the same.

This warranty is exclusively regulated by the Italian law. Any dispute arising from or related to this conventional warranty, as well as to the existence of the conditions to which the validity and effectiveness of the warranty and its effects shall comply, shall be regulated by the Italian law with exclusive jurisdiction granted to the Court of Bergamo.

This conventional warranty refers solely to the defects and remedies identified above and, under no circumstances, can the end user submit any claims which do not fall within the scope indicated herein. This conventional warranty is not a substitute for the statutory warranty foreseen by the laws in force, but complements the same and, in any case, does not affect the statutory rights due to the consumer under the Consumer Code or those granted by applicable national and EC standards regulating the sale of consumer goods.

System certification

Environment





Quality







GENERAL CONDITIONS OF SALE

PRICES: prices are subject to change; this means that prices in force at time of shipping the radiators shall stand except for orders that have already been confirmed. Material errors in printing, wording, calculations etc. shall not constitute a commitment in terms of the order.

PAYMENT: only payments made to our head office against regular receipt are considered as paid in full. All other payments remain at the Customer's risk and expense. The Company has the right to issue sight drafts with relative expenses should the customer fail to pay the invoice within ten days of the payment term indicated therein, the order constituting acceptance thereof.

Upon expiry of said payment term, interest on arrears shall be charged at the going rate in force. The issue of a draft or acceptance of bills or cheques payable to other branches simply constitutes a facility granted to the Customer and shall not be invoked as a waiver to the peremptory clause set out in art. 2. The company reserves the right to suspend or cancel supplies that are ready to be shipped or any other order that has been accepted, if payments are not made within the agreed terms. Any disputes do not entitle the customer to defer payments.

DELIVERY TERMS AND CONDITIONS, DELAYS OR IMPEDIMENTS: all terms of delivery indicated are simply indicative and not binding, as subject to unforeseeable circumstances and in general any other cause beyond the company's control, thus releasing the Company from complying with the terms of delivery indicated, whereby the Customer is not entitled to cancel the order or seek compensation for any damages.

TRANSPORT AND RISKS: all radiators are sold ex-works from our Production Plant in Rogno. Materials are always transported at the risk of the recipient, even when delivered ex-destination, on the understanding that all shipments are carried out on the customer's behalf and according to the instructions of the same; therefore, it is up to the Customer to file claims regarding delays, misunderstandings, breakages, thefts and shortages to the Railway Administrations, Shipping Companies or other Carriers upon receipt of the goods. Therefore, no claims are accepted or bank transfers granted concerning the aforementioned causes. In particular, the Company is not liable for any radiators shipped in bulk. No claims concerning radiator defects shall be accepted unless submitted according to the terms and conditions of the Italian Civil Code.

PACKAGING: cardboard boxes are used for packaging both complete loads and smaller quantities. Packaging is not returnable.

LIABILITY: our liability does not cover, under any circumstances, the consequences of the use of our products or lack of delivery of the same, and refers solely to the replacement of those items returned ex-works to our Production Plant in Rogno (Bergamo) on the condition we acknowledge them to be faulty. Our liability does in no way extend to any type of direct or indirect damage. We do not accept any radiators returned without prior agreement.

MEASUREMENTS, WEIGHTS AND MODEL: Global is not responsible for the measurements and weights of the product and all details as regards the same are simply indicative and not binding. Illustrations in catalogues and brochures aim simply to give an idea of individual articles and do not bind the company in any way to provide a faithful reproduction of the same.

CLAIMS: all invoices are deemed to be accepted if no claims are filed within eight days of receiving the radiators. Claims shall be made by registered letter within eight days of receipt of the radiators in order to be taken into consideration.

RETENTION OF TITLE: the radiators delivered remain the property of Global until all bills or cheques have been collected in full.

LEGAL DOMICILE: the Court of Bergamo is granted sole jurisdiction regarding any disputes that may arise between Global and the Customer. In any case the Customer shall not invoke binding statements or guarantees made by our employees or representatives that are not set out in these terms and conditions or other documents written or signed by our Company.

more than **50** YEARS OF HISTORY

PRODUCTION made in Global ITALY

RESEARCH & DEVELOPMENT made in Global ITALY

DESIGN made in Global ITALY

60.000 sqm PRODUCTION AREA

250 EMPLOYEES

more than **900** DISTRIBUTORS

more than **50** COUNTRIES WORLDWIDE

GLOBAL di Fardelli Ottorino & C. s.r.l.

24060 ROGNO (BG) ITALIA • via Rondinera, 51
tel. ++39 **035977111** • fax ++39 **035977110**
globalradiatori.it • info@globalradiatori.it
amministrazione@pec.globalradiatori.it

Partner KlimaHaus CasaClima®

ICIM UNI EN ISO 9001:2015 CERTIFIED MANAGEMENT SYSTEM

ICIM UNI EN ISO 14001:2015 CERTIFIED MANAGEMENT SYSTEM

Copyright GLOBAL ©
The images, logos and products included in this catalogue must not be reproduced in any manner or using any medium with out prior permission of the parent company. Global reserves the right to change the products and data used in its catalogues at any moment in time.

C.F./P.IVA n. IT 00334360161 - n. mecc. BG 015942 - CCIAA 136287 - iscr. Trib. Bergamo n. 7438